

HAMBRO STRUCTURAL SYSTEMS, DIV OF CANAM STEEL CORP - 36 in. wide, 1-1/2 in. Type P3615HB. The max superimposed loadings for Type P3615HB units shall not exceed 250 PSF. For single spans, the use of the units shall be limited to 5 ft 6 in., 6 ft 0 in. and 6 ft 6 in. max spans for the 22, 20 and 18 gauge units, respectively. For multiple

NEW MILLENNIUM BUILDING SYSTEMS L L C – Type 1.5CD, 1.5CDI, 1.5CDR, 2.0CD,

ROOF DECK INC – 36 in. wide Types LOK 1 1/2, LOK 1 1/2 R; 24 in. wide Types LOK-2,

VERCO DECKING INC - A NUCOR CO - 24, 30 or 36 in. wide Types PLB, B, BR; 24 or 36 in. wide Types PLW2, W2, PLW3, W3; 24 in. wide Types PLN, N. 12 in. wide PLW2, W2,

VICWEST INC - 24 in. wide Type HB306; 32 in. wide Types HB308-INV and HB30V; 36

1.5VLP, 1.5VLR; 24 or 36 in. wide, Types 1.5VLPA, 2VLI, 3VLI, 2VLP, 3VLP, 2VLPA, 3VLPA. Side joints of Type 1.5VL may be fastened together with min 1 in. long No. 12x14

Spacing of welds attaching units to supports shall be 12 in. OC for 12, 24, and 36 in. wide units, four welds per sheet for 30 in. wide units, 6 in. OC for 18 in. wide and Sec. 12 units. Unless noted otherwise, adjacent units button-punched or welded together 36 in. OC along side joints. Adjacent 18 in. wide units welded together 30 in. OC along side

joints. For **3 Hr. Rating,** units with overlapping type side joints welded together 24 in.

+12 in. wide, 1-1/2 in. deep Mac-Way units may be blended with 24 in. wide B2C or 30 in. wide B3C units in a blend of one cell to one or more fluted units. 12 in. wide, 2 in. deep Mac-Way units may be blended with 36 in. wide Mac-Lock 2 units in a blend of one cell to one or more fluted units. 12 in. wide, 3 in. deep Mac-Way units may be blended with 36 in. wide Mac-Lock3 units in a blend of one cell to one or more fluted units. The side edge of the fluted unit is placed on the top of the side edge of the Mac-Way unit and

The Unrestrained Assembly Rating is equal to the Unrestrained Beam Rating for a

(d) 3 in. deep, 36 in. wide, 18 MSG or thicker fluted and 24 in. wide, 20/18 MSG or

4. Spray-Applied Fire Resistive Materials* — Applied by mixing with water and spraying in one or more coats to a final thickness as shown in the tables below, in the tables below to steel beam surfaces which must

Spray Applied Unrestrained Fire Resistive Beam Mtl Thkns Rating Hr on Beam In. 1 - 1/213/1 1 - 1/11-1/2 13/1 1-9/1

Spray Applied Fire Resistive Mtl Thkns on Beam In.	Unrestrained Beam Rating Hr		
9/16	1	1	
9/16	1	1	
7/8	1-1/2	1/2	
9/16	1	1	
1-3/16	2	2	
7/8	1-1/2	1/2	
1-3/4	3	3	

The thicknesses of Spray-Applied Fire Resistive Materials shown in the table below are applicable when the thickness applied to the beams' lower flange edges is reduced by 1/2 that shown in the table and the beams

	Unrestrained Beam Rating Hr	Spray Applied Fire Resistive Mtl Thkns on Beam In.		
1	1	7/16+		
1	1	7/16+		
1/2	1-1/2	3/4		
1	1	7/16+		
2	2	1		
1/2	1-1/2	3/4		
3	3	1-9/16		

strained Beam ting Hr	Spray Applied Fire Resistive Mtl Thkns on Joist & Bridging In.
1	1-1/8
1-1/2	1-3/4
2	2-1/4
3	2-7/8

SOUTHWEST FIREPROOFING PRODUCTS CO - Types 4, 5, 5EF, 5GP, 5MD, 7GP, 7HD, 8EF, 8GP, 8MD,

4A. Alternate Spray-Applied Fire Resistive Materials* – Applied by mixing with water and spraying in one or more coats to a final thickness as shown in the tables below to steel beam surfaces which must be clean and free of dirt, loose scale and oil. When fluted steel deck is used the area between the steel deck and

	Unrestrained Beam Rating Hr	Spray Applied Fire Resistive Mtl Thkns on Beam In.
1	i	1/2
1	1	1/2
2	1-1/2	13/16
1	1	1/2
2	2	1-1/16
2	1-1/2	13/16
3	3	1-9/16

The thicknesses of Spray-Applied Fire Resistive Materials shown in the table below are applicable when the beams are supporting all fluted floor or form units w/lightweight concrete only:

Restrained Assembly Rating Hr	Unrestrained Assembly Rating Hr	Unrestrained Beam Rating Hr	Spray Applied Fire Resistive Mtl Thkns on Beam In.
1	1	1	7,
1-1/2	1	1	7/
1-1/2	1-1/2	1-1/2	3
2	1	1	7/
2	2	2	
3	1-1/2	1-1/2	3
3	3	3	1-5/

+Thickness applied to beams lower flange edge to be 1/4 in. min. The thickness of material required on the steel joist for the various Ratings are shown in the following table:

Restrained or Unrestrained Assembly Rating Hr	Unrestrained Beam Rating Hr	Type of Concrete Slab	Spray Applied Fire Resistive Mtl Thkns In. Joist & Bridging
1	1	NW or LW	1-1/8
1-1/2	1-1/2	NW or LW	1-3/4
2	2	NW or LW	2-1/4
3	3	NW or LW	2-7/8

W R GRACE & CO - CONN - Types Z- 105, Z-106, Z-106/G, Z-106/HY, Monokote Acoustic 5.

GRACE KOREA INC - Types Z-106, Z-106/G, Z-106/HY, Monokote Acoustic 5.

SOUTHWEST FIREPROOFING PRODUCTS CO – Types 7GP, 7HD.

For density determination refer to Design Information Section.

4B. Alternate Spray-Applied Fire Resistive Materials – Applied by mixing with water and spraying in one or more coats to a final thickness as shown in the tables below to steel beam surfaces which must be clean and free of dirt, loose scale and oil. The thicknesses shown in the table below are applicable to beams supporting all fluted floor or form units. Min avg and min ind density of 40/36 pcf, respectively. Min avg and min ind density of 40/36 pcf respectively for Types Z-146, Z-146PC and Z-146T cementitious mixture. Min avg and min ind density of 50/45 pcf respectively for Types Z-156, Z-156T and Z-156PC.

Unrestrained Beam Rating Hr	Restrained Assembly Rating Hr	Concrete Type	Spray Applied Fire Resistive Mtl Thkns on Beam In.
1	1, 1-1/2, 2	LW	9/16
1-1/2	1, 1-1/2, 2, 3	LW	7/8
1	1, 1-1/2, 2	LW	3/4
1-1/2	1, 1-1/2, 2, 3	LW	1

GRACE KOREA INC — Type Z-146 investigated for exterior use

WR GRACE & CO - CONN - Types Z-146, Z-146T, Z146PC, Z-156, Z-156T and Z-156PC investigated for exterior use

5. Shear-Connector Studs – Optional – Studs 3/4 in. diam by 3 in. long, for 1-1/2 in. deep form units to 5-1/4 in. long for 3 in. deep form units, headed type or equivalent per AISC specifications. Welded to the top flange of the beam through the steel form units. 6. Electrical Inserts – (Not shown) Classified as "Outlet Boxes and Fittings Classified for Fire

CENTRIA — Preset Inserts

For use with 2-1/2 in. lightweight concrete topping over QL-WKX steel floor units. Installed over factorypunched holes in floor units per accompanying installation instructions. Spacing shall not be more than one insert in each 14 sq ft. of floor area with spacing along floor units not less

than 48 in. OC. The holes cut in insert cover for passage of wires shall be no more than 1/8 in. larger diam. than wire. Restrained Assembly Rating is 3/4 hr with Tapmate II-FS-1 and 1 hr with Tapmate II-FS-2 inserts. **CENTRIA** — Tapmate II-FS-1, II-FS-2; Series KEB.

(2) Wiremold Co. – After set Inserts.

service activation fitting.

Single-service after set inserts installed per accompanying installation instructions in 2-1/2 in. diam hole coredrilled through min 3-1/4 in. thick concrete topping to top of cell of any min 3 in. deep cellular steel floor unit specified under Item 3. Spacing shall be no more than one insert in each 10 sq ft of floor area in each span with a min center to center spacing of 16 in. If the high potential and low potential raceways of the cellular steel floor unit are separated by a valley filled with concrete, the center to center spacing of the high potential and low potential single-service after set inserts may be reduced to a min of 7-1/2 in. Restrained Assembly Rating is 2 hr or less with internally protected type 436 after set insert with Type M4-, M6- or M8- Series single-service activation fitting. WIREMOLD CO — Internally protected Type 436 after set insert with Type M4-, M6- or M8- Series single-

7. Mineral and Fiber Boards* – (Optional, not shown). Applied over concrete floor with no restriction on board thickness. When mineral and fiber boards are used, the unrestrained beam rating shall be increased by a minimum of 1/2 hr.

See Mineral and Fiber Board (CERZ) category for names of manufacturers.

8. Roof Covering Materials* – (Optional, not shown)Consisting of materials compatible with insulations described herein which provide Class A, B or C coverings. See Built-Up Roof Covering Materials in Building Materials Directory. 9. Insulating Concrete - (not shown) Optional. Various types of insulating concrete prepared and applied in

the thickness indicated: A. Vermiculite Concrete – (not shown) Optional.

> 1. Blend 6 to 8 cu. ft. of Vermiculite Aggregate* to 94 lb. Portland Cement and air entraining agent. Min thickness of 2 in. as measured

to the top surface of the structural concrete or foamed plastic (Item 10) when it is used.

ELASTIZELL CORP OF AMERICA

SIPLAST INC **VERMICULITE PRODUCTS INC**

2. Blend 3.5 cu. ft. of Type NVC Concrete Aggregate* or Type NVS Vermiculite Aggregate* coat, 1/8 in. thickness beneath foamed

plastic (Item 10) when used, 1 in. min topping thickness.

SIPLAST INC VERMICULITE PRODUCTS INC

Vermiculite concrete may be covered with Roof Covering Materials

B. Cellular Concrete – Roof Topping Mixture* – concentrate mixed with water and Portland cement per manufacturers specifications. Min. thickness of 2-in. as measured to the top surface of the structural concrete or foamed plastic (Item 10A) when used. Cast dry density and 28— day min. compressive strength of 190 psi as determined with ASTM

CELCORE INC — Type Celcore with cast dry density of 31 (+ or - 3.0) pcf or Type Celcore MF with cast dry density of 29 (+ or - 3.0) pcf.

CELLULAR CONCRETE L L C — Cast dry density of 37 (+ or -) 3.0 pcf.

ELASTIZELL CORP OF AMERICA - Type II. Mix #1 of cast dry density 39 (+ or -) 3.0 pcf, Mix #2 of cast dry density 40 (+ or -) 3.0 pcf, Mix #3 of cast dry density 47 (+ or -)

C. Cellular Concrete-Roof Topping Mixture* – Concentrate mixed with water and Portland cement per manufacturers specifications. 28-day min. compressive strength of 190 psi as determined with ASTM C495-66.

LITE-CRETE INC — Cast dry density of 29 (+ or -) 3.0 pcf.

SIPLAST INC — Mix No. 1 or 2. Cast dry density of 32+3 (Mix No. 1) or 36+3 (Mix No.

D. Perlite Concrete - 6 cu ft. of Perlite Aggregate* to 94 lb of Portland Cement and 1-1/2 pt air entraining agent. Min. thickness 2 in. as measured to the top surface of structural concrete or foamed plastic (Item 10A) when it is used. See Perlite Aggregate (CFFX) in Fire Resistance Directory for names of manufacturers. E. Cellular Concrete - Roof Topping Mixture* - Foam Concentrate mixed with water, Portland Cement and UL Classified Vermiculite Aggregate per manufacturer's application instructions. Cast dry density of 33 (+ or -) 3.0 pcf and 28-day compressive strength of min 250 psi as determined in accordance with ASTM C495-86.

SIPLAST INC – Mix No. 3.

CELLULAR CONCRETE L L C - Mix No. 3.


F. Floor Topping Mixture* – (Optional, not shown) – Approx 4.5 gal of water to 41 lbs of NVS Premix floor topping mixture. Slurry coat 1/8 in. thickness beneath foamed plastic (Item 10) when used , 1 in. min topping thickness.

SIPLAST INC

Floor Topping Mixture may be covered with Built-Up or Single Membrane Roof Covering. 10. Foamed Plastic* - (optional - Not Shown) For use only with vermiculite (Item 9A) or cellular (Item 9C) concretes — Rigid polystyrene foamed plastic insulation having slots and/or holes sandwiched between vermiculite concrete slurry which is applied to the normal or lightweight concrete surface and vermiculite concrete topping (Item 9A). SIPLAST INC

VERMICULITE PRODUCTS INC

10A. Foamed Plastic* – For use only with cellular concrete. Nominal 24 by 48 in. polystyrene foamed plastic insulation boards having a density of 1.0 + 0.1 pcf encapsulated within cellular concrete topping (Item 9B). Each insulation board shall contain six nominal 3 in. diameter holes oriented in two rows of three holes each with the holes spaced 12 in. OC, transversely and 16 in. OC longitudinally.





the following

A. Steel Roor And Form Units* — Max 3 in. (76 mm) deep galvsteel fluted floor units. B. Concrete — Min 2-1/2 in. (64 mm) thick reinforced concrete, as measured from the top plane of the floor units. C. Spray - Applied Fire Resistive Materials* — (Optional)—(Not Shown)—Prior to the installation of the forming material and fill, void or cavity material (Item 3A, 3B) the steel floor units may be sprayed with a min 5/16in. (8 mm) to max 1-3/4 in. (44 mm) thickness of fire resistive material in accordance with the specifications in the individual D700 Series Design.

W R GRACE & CO - CONN - Type MK-6-HY

nm). The joint system is designed to accommodate a max 12.5 perce

2. Wall Assembly — Min 8 in. (203 mm) thick reinforced lightweight or normal weight (100-150 pcf or 1600-2400 kg/m3) structural concrete. Wall shall be installed parallel with the flutes of the steel floor and form units (Item 1A). Wall may also be constructed of any UL Classified 2 hr fire rated Concrete Blocks*. When wall is constructed of concrete blocks, the top course of block shall be filled with concrete, grout or mortar. See Concrete Blocks (CAZT) category in the Fire Resistance Directory for names of manufacturers.

A. Forming Material* - Mn 4 pct (64 kg/m³) mineral wool batt insulation cut into strips with a wiath approx equal to the overall thickness of

the wall. Strips compressed 33 percent in thickness and inserted into the gap between the top of the wall and the bottom of the floor units.


insulation compressed 33 percent in thickness. When void beneath the steel deck is located in part above the wall, that portion of the void

When the void beneath the protected steel deck is located entirely above the wall, the void shall be completely filled with mineral wool

3. Joint System — Max separation between bottom of spray-applied fire resistive and top of the wall at time of installation of joint system is 1 in. (25

above the wall shall be packed with additional strips of mineral wool batt insulation compressed 33 percent in thickness. ROCKWOOLMANUFACTURING CO - Delta Board B. Fill, Void or Cavity Material*— Min 1/8 in. (3.2 mm) wet thickness of fill material sprayed or troweled on each side of the wall to completely cover mineral wool forming material and to overlap a min of 1/2 in. [13 mm] onto wall and steel deck on both sides of wall. When spray-applied fire resistive material* is applied to the steel floor and form units, the fill material is to overlap the wall a min of 1/2 in. (13 mm) and to overlap the spray-applied fire resistive material a min of 2 in. (51 mm) on both sides of the wall. HLTI CONSTRUCTION CHEMICALS, DIV OF HILTI INC - CP672 Firestop Spray or CFS-SP WB Firestop Joint Spray

System No. HW-D-0087-1 HR AND 2 HR GYTSUM WALL 1 OF _F WALL - PERPENDICULAR April 05, 2012 Assembly Bring -1 And 2 H (See Items 4 And 3B) Nominal Joint With -2 In Lating A Ambient -Less Ihan 1 C fAl/un R Cass II Adv III Movement Capabilities - 20% Compression Of Istension, or Class II Adv III Movement Capabilities - 20% Compression Of Istension, or Class II Bovement Capabilities - 20% Compression Of Istension, Gee Item 1C) 10 10 10 10 10 10 10 10 10 10 10 10 10 1	E	Clark Patterson Lee Architecture I Engineering I Planning 6302 Fairview Rd., Suite 102 Charlotte, North Carolina, 28210 Tel: (800) 274-9000 Fax: (704) 331-0402 www.clarkpatterson.com
resistive material. W R GRACE & CO + CONN — Type MK-6HY Assembly — [Not Shown] — As an alternate to the floor assembly, a fire rated fluted steel deck roof assembly may be used. The roof shall be constructed of the materials and in the mammer described in the individuel P200 Series Roof-Celling Design in the UL fire Resistance is here by ingring of the root assembly shall be equal to argue atter than the houty rating of the wall assembly. The root assembly shall he following construction features: A Steel Roof Deck — Mx3 in (76 mm) thick power dink dafing concrete, as measured from the top plane of the floor units. Assembly — As an alternate to Hems 1 and 1A, a the rated protected fluted steel deck roof assembly may be used. The root assembly shall notated of the materials and in the mammer described in the individuel P200 Series Roof-Celling Design in the UL Fire Resistance Directory. The ting of the root assembly shall be equal to argue than the houty rating of the wall assembly. The root assembly shall induce the construction features: A Steel Roof Deck — Mx3 in (76 mm) deep galv steel fluted root deck. B Spay — Applied The Resistive Materials — (Not Shown) — This to or after the initialization of the steel celling unners, forming Material and fill. Vide or Cavity Material (18m: 2A, 3A, 3B), the root assembly shall be sprayed with the type and thickness of fre resistive material indicated in the individue P200 Series degin. seebbly — The 1 or 2 hr fire rated gypsum board/steel stud wall assembly shall be constructed of the materials and in the mammer described dividuel U400 or V400 Series Wall and Partition Design in the UL Fire Resistance Directory and shall induve the tolowing construction teatures: A Steel Root and Celling Rumer — Fio or an deciling rumer is of od alteriation produced the deck before or after freprooting and Sub (18m 2C). Salted Celling humer — (Fior ve in applications where the normal Joint within the Ushaped deflection charmel [Lift Guage Fuminity]. Solted Celling h	D	Revision Schedule NO. DATE BY CHKD DESCRIPTION Image: Second S
hr rated assembles, respectively. Wall to be constructed as specified in the individual Wall and Partition Design in the UL fine Resistance Diffectory, except that a nom 21n, (51 mg) application, except that a nom 21n, (51 mg), the joint system is the output rating of the valu. The joint system is 21n, (51 mg), and 32n mg), and 21n mg) and 21n mg and 21n mg). The joint system is 21n, (51 mg), and 32n mg), and 21n mg, and 21n mg), and 21n mg), and 21n mg, and 21n mg), and 21n mg, and 21n mg). The joint system is 21n, (51 mg), and 32n mg), and 21n mg), an	С	CLARK PATTERSON LEE No. CO2227 OF AUTHON OF AUTHON IIII IIIIIIIIIIIIIIIIIIIIIIIIIIIIIII
<text><text><text><text><text><text><text></text></text></text></text></text></text></text>	В	COLLETON COUNTY RECREATION CENTER ADDITION AND RENOVATION 280 RECREATION LN, WALTERBORO SC 29488
 A. Roof Assembly (Not Shown) — As an allemate to the floor assembly, a fire rated fluids sheel dock roof assembly may be used. The roof assembly shall be constructed of the materials and in the maner described in the individual PR00 Series 600-Celling Design in the UL Fire Resistance Directory. The houry rating of the word assembly shall be lowed assembly shall be lowed assembly shall be lowed assembly shall be equal to or greater than the houry rating of the word assembly. The roof assembly shall be lowed as the fluid of root dock. B. Roof Insulation — Min 2-1 / 4 in. (57 mm) deep galx shell fluid to of dock. B. Roof Insulation — Min 2-1 / 4 in. (57 mm) deep galx shell fluid to of dock. B. Roof farsembly — As an altemate to ltems 1 and 1.a, of fir roted protocted fluided steel dock roof assembly may be used. The roof assembly shall be equal to or greater than the houry rating of the wall assembly. The roof assembly shall include the following construction for downs: A. Shell Roof Dock — Minx 3 in. (76 mm) deep galx steel fluid at for dock. B. Singer Applied fire Bestither Marchait* — (Not Shown) - Prior to the installation of the steel celling runnen, Forming Material and Fill. Void or Cavity Material Telling and the gal boown of rom to the installation of the steel celling runnen. Forming Material and Fill. Void or Cavity Material Indicated on the fire Resistance Directory. The individual PR00 Series design. Jubit System — Min Sin. (203 mm) thick is the Ire inforce al lightweight or normal weight (100-150 pcf) (1600 -2400 kg/mt) structural concrete. Wall may also be constructed of any LL Classified Concrete block structure. Jubit System — Min Sin. (203 mm) thick is the Ire Resistance Directory for norms of manufactures. Jubit System — Mox Sin. (76 mm) deep galx steel fluid or of prior for marks of manufactures. Jubit System — Min Sin. (203 mm) thick is the Ire Resistance Directory	A	DATE DRAWN CHECKED 5/30/2017 RSP AMC SCALE SHEET TITLE UL ASSEMBLIES PROJECT NUMBER 13674.00 GOOD5 DRAWING NUMBER



wallboard, Type RB-LBG (Item 4A), Type Nelco (Item 2C. Furring Channels - For use with System I - " directly over the inner layers of wallboard to each stu alternate from top flange to bottom flange at each stud intersection. Furring channels spaced vertically max 24 as described in Item b. Gypsum board installed vertically only and attached to furring channels as described in Item 3. (2.75) clip for use with 2-23/32 in. wide furring channels. **PAC INTERNATIONAL INC** – Types RSIC-1, RSIC-1 (2.75). as described below: a. Furring Channels - Formed of No. 25 MSG galv steel. Spaced 24 in. OC perpendicular to studs. Channels secured to studs as described in Item b. Ends of b. Steel Framing Members* - Resilient sound isolation clip used to attach furring fitted into clips. **STUDCO BUILDING SYSTEMS** — RESILMOUNT Sound Isolation Clips - Type A237R B. Gypsum Board* — Gypsum liner panels, nom 1 in. thick, 24 in. or 600 mm (for metric spacing) wide. along the 22 in. dimension at the top and bottom of the strips. CGC INC — Type SLX

in, OC

UNITED STATES GYPSUM CO - Type SLX

USG MEXICO S A DE C V — Type SLX

4. Gypsum Board* –

Gypsum panels, with beveled, square or tapered edges, nom 5/8 in. thick, 48 in. or 1200 mm wide, applied vertically or horizontally, attached to studs with 1 in. long Type S steel screws spaced 12 in. when installed vertically or 8 in OC when installed horizontally. Horizontal joints need not be backed by steel framing. CGC INC - Types AR, C, IP-AR, IP-X1, IP-X2, IPC-AR, SCX, SHX, ULX, WRC, WRX

UNITED STATES GYPSUM CO - Types AR, C, FRX-G, IP-AR, IP-X1, IP-X2, IPC-AR, SCX, SGX, SHX, ULX, WRC, WRX, USGX.

USG MEXICO S A DE C V - Types AR, C, IP-AR, IP-X1, IP-X2, IPC-AR, SCX, SHX, ULX, WRC, WRX

Gypsum panels, with beveled, square or tapered edges, nom 1/2 in. or 5/8 in. thick, 48 in. or 1200 mm wide, applied vertically or horizontally in two layers. Inner or base layer attached to studs with 1 in. long Type S steel screws spaced 24 in. OC when installed vertically or 16 in. OC when installed horizontally. Outer or face layer attached to studs with 1-5/8 in. long Type S steel screws spaced 12 in. OC when installed vertically and staggered 12 in. from base layer screws or 8 in. OC when installed horizontally and staggered 8 in. from base layer screws. Horizontal joints between inner and outer layers staggered a min of 12 in. Horizontal joints need not be backed by steel framing. Vertical joints centered over studs and staggered 24 in. CGC INC - 1/2 in. Type C, IP-X2, IPC-AR or WRC; 5/8 in. Types AR, C, IP-AR, IP-X1, IP-X2, IPC-AR, SCX, SHX, ULX, WRC, WRX

UNITED STATES GYPSUM CO - 1/2 in. Types C, IP-X2, IPC-AR, or WRC; 5/8 in. Types AR, C, FRX-G, IP-AR, IP-X1, IP-X2, IPC-AR, SCX, SGX, SHX, ULX, USGX, WRC, WRX

USG MEXICO S A DE C V - 1/2 in. Types C, IP-X2, IPC-AR or WRC; 5/8 in. Types AR, C, IP-AR, IP-X1, IP-X2, IPC-AR, SCX, SHX, ULX, WRC, WRX

Gypsum panels, with beveled, square or tapered edges, nom 3/4 in. thick, 48 in. or 1200 mm wide, applied vertically or horizontally, secured with 1-1/4 in. long Type S steel screws spaced 8 in. OC along vertical edges and 12 in. OC in the field when installed vertically or 8 in. OC along the vertical edges and in the field when installed horizontally. Horizontal joints need not be backed by steel framing. Screws along side joints offset 4 in. Requires min 4 in. deep framing per Items 1, 2 and 3. Requires min 3 in. thick mineral wool batts per Item

CGC INC — Types IP-X3, or ULTRACODE

UNITED STATES GYPSUM CO – Types IP-X3, or ULTRACODE

USG MEXICO S A DE C V — Types IP-X3, or ULTRACODE

Gypsum panels, with beveled, square or tapered edges, nom 5/8 in. thick, 48 in. or 1200 mm wide, applied vertically or horizontally, attached directly to studs with 1 in. long Type S steel screws spaced 24 in. when installed vertically or 16 in. OC when installed horizontally. . Horizontal joints need not be backed by steel framing. Requires face layer of 1/2 or 5/8 in. thick cementitious backer units per Item 7 and min 1-1/2 in. thick mineral wool batts per Item 6. CGC INC - Types AR, C, IP-AR, IP-X1, IP-X2, IPC-AR, SCX, SHX, ULX, WRC, WRX

UNITED STATES GYPSUM CO - Types AR, C, FRX-G, IP-AR, IP-X1, IP-X2, IPC-AR, SCX, SGX, SHX, ULX, USGX, WRC, WRX **USG MEXICO S A DE C V** – Types AR, C, IP-AR, IP-X1, IP-X2, IPC-AR, SCX, SHX, ULX, WRC, WRX

System E – 2 Hr

Gypsum panels, with beveled, square or tapered edges, nom 1/2 in. or 5/8 in. thick, 48 in. or 1200 mm wide, applied vertically or horizontally, attached to studs with 1 in. long Type S steel screws spaced 12 in. OC when installed vertically or 8 in. when installed horizontally. Horizontal joints need not be backed by steel framing. CGC INC – 1/2 in. Types C, IP-X2, IPC-AR; 5/8 in. Types AR, C, IP-AR, IP-X1, IP-X2, IPC-AR, SCX, SHX, ULX, WRC, WRX

IP-X2, IPC-AR, SCX, SGX, SHX, ULX, USGX, WRC, WRX.

USG MEXICO S A DE C V - 1/2 in. Types C, IP-X2, IPC-AR; 5/8 in. Types AR, C, IP-AR, IP-X1, IP-X2, IPC-AR, SCX, SHX, ULX, WRC, WRX

Gypsum panels, with beveled, square or tapered edges, nom 1/2 in. or 5/8 in. thick, 48 in. or 1200 mm wide, applied vertically in two layers. Inner or base layer attached to resilient furring channels (Item 2B) with 1 in. long Type S steel screws spaced 24 in. Outer or face layer attached to resilient furring channels (Item 2B) with 1-5/8 in. long Type S steel screws spaced 12 in. OC and staggered 12 in. from base layer screws. Joints between inner and outer layers staggered 24 in. CGC INC - 1/2 in. Type C, IP-X2, IPC-AR or WRC; 5/8 in. Types AR, C, FRX-G, IP-AR, IP-X1, IP-X2, IPC-AR, SCX, SHX, ULX, WRC, WRX

IP-X1, IP-X2, IPC-AR, SCX, SGX, SHX, ULX, USGX, WRC, WRX.

USG MEXICO S A DE C V - 1/2 in. Type C, IP-X2, IPC-AR or WRC; 5/8 in. Types AR, C, IP-AR, IP-X1, IP-X2, IPC-AR, SCX, SHX, ULX, WRC, WRX

Gypsum panels, with beveled, square or tapered edges, nom 5/8 in. thick, 48 in. or 1200 mm wide, applied vertically or horizontally in three layers. Inner or base layer attached to studs with 1 in. long Type S steel screws spaced 24 in. OC when installed vertically or 16 in OC when installed horizontally. Middle layer attached to studs with 1-5/8 in. long Type S steel screws spaced 24 in. when installed vertically or 16 in. OC when installed horizontally. Outer or face layer attached to studs with 2-1/4 in. long Type S steel screws spaced 16 in. when installed vertically or 12 in. OC when installed horizontally. Screws offset 6 in. from layer below. Horizontal joints on adjacent layers staggered a min of 12 in. Horizontal joints need not be backed by steel framing. Vertical joints centered over studs and staggered 24 in. on adjacent layers. CGC INC — Types C, IP-X2, IPC-AR, WRC

UNITED STATES GYPSUM CO – Types C, IP-X2, IPC-AR, WRC

USG MEXICO S A DE C V – Types C, IP-X2, IPC-AR, WRC

the "H" section of α e studs. Inner or base layer attached to studs with 1 in, long Type S steel screws spaced 24 in, OC when ins lied vertically or 16 in. OC when installed horizontally. Face layer attached to study with

stud opposite the 12n. liner panels with 1/2 in. long Type S or S-12 pan-head steel screws. When furring channels are used, 2/allboard to be installed vertically only. Not to be used with Type FRX-G gypsum
wallboard, Type RB-LBG (Item 4A), Type Nelco (Item 4B) or cementitious backer units (Item 7).
2C. Furring Channels - For use with System I - "Hat" - shaped, 25 MSG galv steel furring channels attach
directly over the inner layers of wallboard to each stud with 2 in. long Type S pan head steel screws. Screws
alternate from ten flange to bettem flange at each stud intersection. Eurring shannels spaced vertically may 2

2D. **Steel Framing Members*** – (Optional, not shown) – For use with single or double layer systems. Furring channels and Steel Framing Members as described below. Not to be used with Type FRX-G gypsum wallboard, Type RB-LBG (Item 4A), Type Nelco (Item 4B) or cementitious backer units (Item 7): a. Furring Channels - Formed of No. 25 MSG galv steel. 2-9/16 in. or 2-23/32 in. wide by 7/8 in. deep, spaced max. 24 in. OC perpendicular to studs. Channels secured to studs

> b. Steel Framing Members* – Used to attach furring channels (Item 2Da) to studs (Item 2 or 2A). Clips spaced max. 24 in. OC., and secured to studs with No. 8 x 1-1/2 in. minimum self-drilling, S-12 steel screw through the center grommet. Furring channels are friction fitted into clips. RSIC-1 clip for use with 2-9/16 in. wide furring channels. RSIC-1

2E. Steel Framing Members - (Optional, Not Shown)* - Furring channels and resilient sound isolation clip

adjoining channels overlapped 6 in. and secured together with four self-tapping No. 8x1/2 Self Drilling screws (2 per side 1 in. and 4 in. from overlap edge). Gypsum board attached to furring channels as described in Item 3. Side joint furring channels shall be attached to studs with RESILMOUNT Sound Isolation Clips - Type A237R located approximately 2 in. from each end of length of channel. Both Gypsum Boards at side joints fastened into channel with screws spaced 8 in. OC, approximately 1/2 in. from joint edge.

channels (Item 2Ea) to studs. Clips spaced 24 in. OC., and secured to studs with No. 10 x 2-1/2 in. coarse drywall screw through the center hole. Furring channels are friction

Panels cut 1 in. less in length than floor to ceiling height. Vertical edges inserted in "H" portion of "C-H" studs or the gap between the two 3/4 in. legs of the "E" studs. Free edge of end panels attached to long leg of vertical "J" - runners with 1-5/8 in. long Type S steel screws spaced not greater than 12 in. OC. When wall height exceeds liner panel length, liner panel may be butted to extend to the full height of the wall. Horizontal joints need not be backed by steel framing. In System I, butt joints in liner panels are staggered min 36 in. Butt joints backed with 6 in. by 22 in. strips of 3/4 in. thick gypsum wallboard (Item 4). Wallboard strips centered over butt joints and secured to liner panels with six 1-1/2 in. long Type G steel screws, three screws

System A – 1 Hr

System B – 2 Hr

System C – 2 Hr

System D – 2 Hr

UNITED STATES GYPSUM CO - 1/2 in. Types C, IP-X2, IPC-AR; 5/8 in. Types AR, C, FRX-G, IP-AR, IP-X1,

System F – 2 Hr

UNITED STATES GYPSUM CO – 1/2 in. Type C, IP-X2, IPC-AR or WRC; 5/8 in. Types AR, C, FRX-G, IP-AR,

System G – 3 Hr

System H – 3 Hr Gypsum panels, with beveled, square or tapered edges, nom 5/8 in. thick, 48 in. or 1200 mm wide, applied vertically or horizontally, two layers over the flange of the "C" section of the studs, one layer over the flange of

5/8 in long Type S steel screws spaced 16 in when installed vertically or 12 in OC when installed horizontally. Screws offset 6 in. from layer below. Horizontal joints on adjacent layers staggered a min of 12 in. Horizontal joints need not be backed by steel framing. Vertical joints centered over studs and staggered 4 in. on adjacent layers. **CGC INC** — Types C, IP-X2, IPC-AR, WRC

UNITED STATES GYPSUM CO – Types C, IP-X2, IPC-AR, WRC

USG MEXICO S A DE C V – Types C, IP-X2, IPC-AR, WRC

System I – 4 Hr

Gypsum panels, with beveled, square or tapered edges, nom 3/4 in. thick, 4 ft wide (or 1200 mm for metric spacing) wallboard with square or tapered edges. Total of four layers to be used. First and second (inner) layers applied vertically or horizontally over the steel studs. Horizontal joints need not be backed by steel framing. When applied vertically, joints centered over studs and staggered min 24 in., otherwise all joints staggered min 12 in. First layer secured to studs with 1-1/4 in. long Type S self-drilling, self-tapping buglehead steel screws spaced 24 in. OC. Second layer secured to studs with 2-1/4 in. long Type S self-drilling, self-tapping bugle-head steel screws spaced 12 in. OC. Third layer applied vertically over the furring channels (Item 2C) with a 1-1/4 in. long Type S self-drilling, self-tapping bugle-head steel screws spaced 12 in. OC. Fourth layer applied vertically or horizontally with 2-1/4 in. long Type S self-drilling, self-tapping bugle-head steel screws spaced 12 in. OC. When applied vertically, joints to be staggered min 24 in. from third layer, otherwise all joints staggered min 12 in. **CGC INC** — Types IP-X3, or ULTRACODE

UNITED STATES GYPSUM CO – Types IP-X3, or ULTRACODE

USG MEXICO S A DE C V – Types IP-X3, or ULTRACODE

4A. **Gypsum Board*** – (As an alternate to Item 4 Systems A, B, C, D, E, G, H, and I when used as the base layer, For direct attachment only) - Nom 5/8 in. or ¾ in. thick lead backed gypsum panels with beveled, square or tapered edges, applied vertically. Vertical joints centered over 20 MSG steel studs and staggered min 1 stud cavity on opposite sides of studs. See Items 1, 2, 2A, 2B and 2D. Wallboard secured to studs with 1-1/4 in. long Type S-12 steel screws spaced 8 in. OC at perimeter and 12 in. OC in the field. For Joint Compound see Item 5. To be used with Lead Batten Strips (see Item 9) or Lead Discs or Tabs (see Item 10). **RAY-BAR ENGINEERING CORP** – Type RB-LBG

4B. **Gypsum Board*** – (As an alternate to Item 4 Systems A, B, C, D, E, G, H, and I when used as the base layer, For direct attachment only) - Nominal 5/8 in. thick lead backed gypsum panels with beveled, square or tapered edges, applied vertically. Vertical joints centered over studs and staggered min 1 stud cavity on opposite sides of studs. Wallboard secured to studs with 1-1/4 in. long Type S-12 (or #6 by 1-1/4 in. long bugle head fine driller) steel screws spaced 8 in. OC at perimeter and 12 in. OC in the field.

NEW ENGLAND LEAD BURNING CO INC, DBA NELCO - Nelco

4C. **Gypsum Board*** – (As an alternate to Item 4 Systems A, B, C, D, E, G, H, and I when used as the base layer, For direct attachment only) - Nom 5/8 or 3/4 in. thick lead backed gypsum panels with beveled, square or tapered edges, applied vertically. Vertical joints centered over 20 MSG steel studs and staggered min 1 stud cavity on opposite sides of studs. See Items 1, 2, 2A, 2B and 2D. Wallboard secured to studs with 1-1/4 in. long Type S-12 steel screws spaced 8 in. OC at perimeter and 12 in. OC in the field. For Joint Compound see Item 5. To be used with Lead Batten Strips (see Item 9A) or Lead Discs (see Item 10A). Lead batten strips required behind vertical joints of lead backed gypsum wallboard and optional at remaining stud locations. Lead batten strips, min 2 in. wide, max 10 ft long with a max thickness of 0.140 in. placed on the face of studs and attached to the stud with two 1 in. long Type S-8 pan head steel screws, one at the top of the strip and one at the bottom of the strip.

MAYCO INDUSTRIES INC – Type X-Ray Shielded Gypsum

4D. **Gypsum Board*** – (As an alternate to Item 4 Systems A, B, C, D, E, G, H, and I when used as the base layer, For direct attachment only). Nom 5/8 in. thick lead backed gypsum panels with beveled, square or tapered edges, applied vertically. Vertical joints centered over studs and staggered min 1 stud cavity on opposite sides of studs. Wallboard secured to studs with 1-1/4 in. long Type S-12 steel screws gypsum panel steel screws spaced 8 in. OC at perimeter and 12 in. OC in the field. Lead batten strips required behind vertical joints of lead backed gypsum wallboard and optional at remaining stud locations. Lead batten strips, min 2 in. wide, max 8 ft long with a max thickness of 0.14 in. placed on the face of studs and attached to the stud with construction adhesive and two 1 in. long Type S-12 pan head steel screws, one at the top of the strip and one at the bottom of the strip. Lead discs, nominal 3/8 in. diam by max 0.085 in. thick. Compression fitted or adhered over the screw heads. Lead batten strips and discs to have a purity of 99.9% meeting the Federal specification QQ-L-201f, Grade "C".

RADIATION PROTECTION PRODUCTS INC — Type RPP - Lead Lined Drywall

5. Joint Tape and Compound – (Not Shown)

Systems A, B, C, E, F, G, H, I

Joints on outer layers of gypsum boards (Item 4 and 4A) covered with paper tape and joint compound. Paper tape and joint compound may be omitted when gypsum boards are supplied with square edges. Exposed screw heads covered with joint compound. 6. Batts and Blankets* -

Systems A, B, E, F, G, H, I

(Optional) - Mineral wool or glass fiber batts partially or completely filling stud cavity. Any mineral wool or glass fiber batt mineral bearing the UL Classification Marking as to Fire Resistance. Systems C & D

Min 3 in. (System C) and min 1-1/2 in. (System D) thick mineral wool batts, friction fitted between the studs and floor and ceiling runners. **THERMAFIBER INC** — Type SAFB

7. Cementitious Backer Units* – (System D) – Nom 1/2 or 5/8 in. thick panels, square edge, attached to studs over gypsum wallboard with 1-5/8 in. long, Type S-12, corrosion resistant steel screws spaced 8 in. OC and staggered 8 in. from gypsum wall board screws. Joints covered with glass fiber mesh tape. Vertical joints staggered one stud cavity from gypsum wallboard joints. Horizontal joints staggered a min of 12 in. from the gypsum wallboard joints. **UNITED STATES GYPSUM CO** – Type DCB

8. Laminating Adhesive* – (Optional, Not Shown) – Used to bond outer layer of Cementitious Backer Units (Item 7) to inner layers of Gypsum Board (Item 4) in System D. ANSI A136.1 Type 1 organic adhesive applied with 1/4 in. square notched trowel. See Adhesives (BYWR) in the Fire Resistance Directory or Adhesives (BJLZ) in the Building Materials Directory for names of Classified companies.

9. Lead Batten Strips — (Not Shown, For Use With Item 4A) - Lead batten strips, min 1-1/2 in. wide, max 10 ft long with a max thickness of 0.125 in. Strips placed on the interior face of studs and attached from the exterior face of the stud with two 1 in. long Type S-12 pan head steel screws, one at the top of the strip and one at the bottom of the strip. Lead batten strips to have a purity of 99.9% meeting the Federal specification QQ-L-201f, Grade "C". Lead batten strips required behind vertical joints of lead backed gypsum wallboard (Item 4A) and optional at remaining stud locations. Required behind vertical joints.

9A. Lead Batten Strips — (Not Shown, for use with Item 4C) Lead batten strips, 2 in. wide, max 10 ft long with a max thickness of 0.140 in. Strips placed on the face of studs and attached to the stud with two min. 1 in. long min. Type S-8 pan head steel screws, one at the top of the strip and one at the bottom of the strip or with one min. 1 in. long min. Type S-8 pan head steel screw at the top of the strip. Lead batten strips to have a purity of 99.9% meeting the Federal specification QQ-L-201f, Grades "A, B, C or D".. Lead batten strips required behind vertical joints of lead backed gypsum wallboard (Item 6) and optional at remaining stud locations.

10. Lead Discs or Tabs – (Not Shown, For Use With Item 4A) - Used in lieu of or in addition to the lead batten strips (Item 9) or optional at other locations - Max 3/4 in. diam by max 0.125 in. thick lead discs compression fitted or adhered over steel screw heads or max 1/2 in. by 1-1/4 in. by max 0.125 in. thick lead tabs placed on gypsum boards (Item 4A) underneath screw locations prior to the installation of the screws. Lead discs or tabs to have a purity of 99.9% meeting the Federal specification QQ-L-201f, Grade "C". 10A. Lead Discs – (Not Shown, for use with Item 4C) Max 5/16 in. diam by max 0.140 in. thick lead discs compression fitted or adhered over steel screw heads. Lead discs to have a purity of 99.9% meeting the

Federal Specification QQ-L-201f, Grades "A, B, C or D". 11. Lead Batten Strips - (Not Shown, For Use With Item 4B) Lead batten strips, 2 in. wide, max 10 ft long with a max thickness of 0.142 in. Strips placed on the face of studs and attached to the stud with two min. 1in. long min. Type S-8 pan head steel screws, one at the top of the strip and one at the bottom of the strip or with one min. 1 in. long min. Type S-8 pan head steel screw at the top of the strip. Lead batten strips to have a purity of 99.9% meeting the Federal specification QQ-L-201f, Grade "C". Lead batten strips required behind vertical joints of lead backed gypsum wallboard (Item 4B) and optional at remaining stud locations. 12. Lead Tabs – (Not Shown, For Use With Item 4B) 2 in. wide, 5 in. long with a max thickness of 0.142 in. Tabs friction-fit around front face of stud, the stud folded back flange, and the back face of the stud. Tabs


required at each location where a screw (that secures the gypsum boards, Item 4B) will penetrate the steel


stud. Lead tabs to have a purity of 99.9% meeting the Federal specification QQ-L-201f, Grade "C". Lead tabs


may be held in place with standard adhesive tape if necessary. *Bearing the UL Classification Mark


Last Updated on 2013-06-25













- SCHED. PARTITION

- LINE OF RATED

PARTITION

-5





— STUD TRACK –

CONTINUOUS

GWB BASE LAYER

FOR THICKNESS &

TYPE SEE CODE

TO PART. TYPE