


COLLETON COUNTY, SOUTH CAROLINA, a body politic and corporate and a political subdivision of the State of SC	MAIL TO: Finance-Purchasing ATTN: Mr. Deron Smith PO Box 157 Walterboro, SC 29488	
<p style="text-align: center;">AMENDMENT #5 SEALED BEST VALUE BID</p>	HAND CARRY TO: Purchasing Office, Room 208A Harrelson Building, 31 Klein Street Walterboro, South Carolina 29488	
<p style="text-align: center;">Proposals will be accepted until 2:00 PM, Tuesday, June 8, 2010</p> <p style="text-align: center;">-----</p> <p style="text-align: center;">A MANDATORY Pre-Proposal Conference will be held Tuesday May 25, 2010 at 2:00 PM</p>	<p style="text-align: center;">TELEPHONE NO. (843) 549-5716</p>	
Then Publicly Opened in Room 208	PROPOSAL NUMBER: FM-27 Baseball Quadrangle Design and Construction	

AMENDMENT #5

FM-27 Baseball Quadrangle Design and Construction

This amendment is effective May 26, 2010.

Sealed Best Value Bid FM-27 must be further revised and clarified.

- I. The bid opening date is hereby changed from June 8, 2010 to June 22, 2010 at 2:00pm.
- II. The bid should include a basic drawing or layout of the proposed design.
- III. Additional Dugout Specifications
 - A. 20' in length, 8'4" in height, and 8' in width
 - B. Dug-out benches shall be 15' galvanized steel with backrest.
 - C. Bench shall be anchored in concrete.
 - D. Drinking water bubbler in each dugout.
- IV. Outfield fencing should 6' in height with sch. 40 pipe and 9 ga. chain link field with top rail, cover top rail with safety cushion.
- V. The ball field sizes as specified in the original RFP document of two (2) fields @ 325' and two (2) fields @375' are hereby changed to all ball fields are to be 300'.

