


<b>COLLETON COUNTY, SOUTH CAROLINA</b> , a body politic and corporate and a political subdivision of the State of SC	MAIL TO: Finance-Purchasing ATTN: Stacy Langdale, CPPB PO Box 157 Walterboro, SC 29488	
<b>AMENDMENT NUMBER ONE TO SEALED BID</b>	HAND CARRY TO: Purchasing Office, Room 208A Harrelson Building, 31 Klein Street Walterboro, South Carolina 29488	
<b>Bids will be accepted until 2:00 PM, Thursday, March 12, 2009</b>  <b>Mandatory PRE-BID CONFERENCE will be at 1:00 PM, Thursday, March 5, 2009</b>	TELEPHONE NO. (843) 549-5716	
Then Publicly Opened in Room 208	<b>BID NUMBER: FM-22 Roof Repair to Gymnasium at Recreation Complex</b>	

**This amendment is effective as of March 5, 2009.**

Sealed Bid FR-22 must be further revised and amended and will now read as follows, in part:

a) On Page 5 of the original bid document, specifications for cleaning the roof will be further clarified and the following specifications will be inserted in its place:

***Clean roof as much as possible with a blower. Pressure washing will not be allowed as this will result in the popping of blisters and further damage to the existing roof.***

b) On Page 5 of the original bid document, specifications will be further clarified and the following specifications will be added to the bullet list at the top of the page:

- ***Use 4" fabric at the parapet cap joints***
- ***Use 4" fabric on holes, cuts, tears, and damaged blisters with foundation and top coat***

c) On Page 5 of the original bid document, specifications for the installation of one (1) coat of Hydro-Stop will be deleted and the following specifications will be inserted in its place:

***Install two (2) coats of Hydro-Stop waterproofing top coat to existing roof surface in accordance with the recommended application ratio suggested by Hydro-Stop manufacturer (color to match existing as close as possible.)***

d) On Page 6 of the original bid document, the Bid Breakdown Sheet will be deleted and revised and the attached form will be inserted in its place.

e) In accordance with SC Code of Laws Section 40-11-140, a General Contractors license with a "Specialty Roofing" sub classification is required for this project.

This amendment will not require any alterations to the time of the original bid closing and opening; therefore, bids will still be accepted until 2:00 PM, Thursday, March 12, 2009. Inquiries regarding bid specifications can be directed to the Facilities Management Director, Ron Shoupe at (843) 549-6457.

**BID BREAKDOWN SHEET**  
Thursday, March 12, 2009 at 2:00pm

**FM-22 Roof Repair to the Gymnasium at the Recreation Complex**  
280 Recreation Lane, Walterboro, SC 29488

Please provide the following information:

**Calculate pricing based on 5% of the roof being repairs.**

Total Materials \_\_\_\_\_

Total Labor \_\_\_\_\_

Sales & Use Tax \_\_\_\_\_

**TOTAL BID** \$ \_\_\_\_\_  
Roof Repair at the Recreation Complex

**Provide unit pricing per square foot for repair above or below the 5% allotted in above pricing.**

Unit price per sq ft \_\_\_\_\_

SC Department of Labor, Licensing & Regulation License Number and Classification:

\_\_\_\_\_  
General Contractor Number

\_\_\_\_\_  
Classification

Attach a copy of license for verification.

**VENDOR NAME:** \_\_\_\_\_

**VENDOR SIGNATURE:** \_\_\_\_\_