

Capital Projects & Purchasing Department 113 Mable T. Willis Blvd. Walterboro, SC 29488 843.539.1968

# BID: FMD-13 2019/2020 KENWORTH CAB AND CHASSIS WITH DUMP BED

## DUE: Thursday, January 10, 2019 at 11:00am

MAIL RESPONSE TO:

Capital Projects & Purchasing Department Attn: Kaye B Syfrett 113 Mable T. Willis Blvd. Walterboro, SC 29488

## **DELIVER RESPONSE TO:**

Capital Projects & Purchasing Department Attn: Kaye B Syfrett 113 Mable T. Willis Blvd. Walterboro, SC 29488

## A. OVERVIEW

Colleton County, South Carolina (the **"County"**) request bids from qualified, licensed Kenworth Truck Dealers for one (1) 2019/2020 Kenworth Cab and Chassis with Dump Bed. Dealers are to furnish all the specified requirements listed in the Exhibit "A" attached. The unit will be delivered to Colleton County Fleet Management located at 113 Mable T. Willis Blvd, Walterboro, South Carolina 29488.

Subject to the terms, conditions, provisions, and the enclosed specifications, responses to this solicitation will be received at this office until the stated date and time. After which, only the names of the respondents will be publicly announced. Responses received after the scheduled due date and time will be rejected. Proposals must be submitted in a sealed package marked on the outside with the Dealer's name, address, and the solicitation name and number.

This solicitation does not commit Colleton County to award a contract, to pay any costs incurred in the preparation of proposals submitted, or to procure or contract for the services. The County reserves the right to accept or reject or cancel in part, or in its entirety offers received as a result of this request if deemed to be in the best interest of the County to do so. *Questions regarding this solicitation must be submitted via email to John Stieglitz, Capital Projects & Purchasing Director at istieglitz@colletoncounty.org* no later than 11:00am on Thursday, January 3, 2019.

## B. SCOPE OF WORK

Colleton County proposes to purchase one (1) 2019/2020 Kenworth Cab and Chassis with Dump Bed as specified in the appendix attached.

It is the responsibility of the Kenworth Truck dealer to coordinate the chassis delivery and installation of the requested dump body.

#### **Product Specifications:**

• See Exhibit "A"

## C. INSTRUCTIONS TO DEALER

- Submittal must include <u>one (1) original bid</u> response clearly <u>marked as original</u>, and <u>one (1) complete</u> <u>copy</u> of the bid response along with a completed W-9 form. Responses must be in a sealed envelope/package containing the solicitation name and number. The individual signing the response must be an Agent legally authorized to bind the company.
- 2. Show solicitation number on the outside of mailing package. Colleton County assumes no responsibility for unmarked or improperly marked envelopes.
- 3. It is the dealer's sole responsibility to ensure that solicitation responses, amendments thereto or withdrawal requests are submitted by the scheduled due date and time.
- 4. The dealer must clearly mark as "Confidential" each part of their response, which they consider to be proprietary information that could be exempt from disclosure under Section 30-40(C) Code of Laws of South Carolina, 1976, Freedom of Information Act. Colleton County reserves the right to determine

whether this information should be exempt from disclosure and legal action may not be brought against the County or its agents for its determination in this regard.

- 5. RESPONSE FORM: All responses shall be printed in ink or typewritten. If required, additional pages may be attached. Bids written in pencil will be disqualified.
- 6. Subject to the terms, conditions, provisions, and the enclosed specifications, responses to this solicitation will be received at this office until the stated date and time. Responses received after the scheduled due date and time will be rejected. Bids must be submitted in a sealed package marked on the outside with the vendor's name, address, and the solicitation name and number.
- 7. Bids shall remain good for **60** days from date of submission.

# A "No Response" qualifies as a response; however, it is the responsibility of the Vendor to notify the Procurement Office if you receive solicitations that do not apply.

## D. SELECTION CRITERIA

It is the intent of Colleton County to award the purchase to a single qualified, licensed Dealer with final approval by County Council. The purchase shall be between Colleton County and the successful Dealer. Following the award, a Purchase Order for the product will be issued to the awarded Kenworth truck dealer.

## E. SPECIFIC TERMS AND CONDITIONS

- 1. COMPETITION: This solicitation is intended to promote full and open competition. If any language, specifications, terms and conditions, or any combination thereof restricts or limits the requirements in this solicitation to a single source, it shall be the responsibility of the interested vendor to notify the Procurement Office in writing no later than five (5) business days prior to the scheduled due date and time.
- 2. RESPONDANTS QUALIFICATION: The County reserves the right to request satisfactory evidence of their ability to furnish services in accordance with the terms and conditions listed herein. The County further reserves the right to make the final determination as to the Vendor's ability to provide said item(s).
- 3. RESPONSE WITHDRAWAL: Any responses may be withdrawn prior to the established closing date and time, but not thereafter with proper approval from the Procurement Manager.
- 4. REJECTION: Colleton County reserves the right to reject any and all bids, to cancel or withdraw this solicitation, and to waive any technicality if deemed to be in the best interest of the County.
- 5. WAIVER: The County reserves the right to waive any Instruction to Dealer's, General or Special Provisions, General or Special Conditions, or specifications deviation if deemed to be in the best interest of the County.
- 6. RESPONSE PERIOD: All responses shall be good for a minimum period of <u>60</u> calendar days.

- 7. DEVIATIONS FROM SPECIFICATIONS: Any deviation from specifications indicated herein must be clearly pointed out; otherwise, it will be considered that items offered are in strict compliance with these specifications, and successful dealer will be held responsible therefore. Deviations must be explained in detail on separate attached sheet(s). The listing of deviations, if any, is required but will not be construed as waiving any requirements of the specifications. Unidentified deviations found during the evaluation of the response may be cause for rejection.
- 8. AMENDMENTS: All amendments to and interpretations of this solicitation shall be in writing and issued by the Procurement Manager of Colleton County.
- 9. DEBARMENT: By submitting a qualification package, the dealer is certifying that they are not currently debarred from responding to any request for proposals by any agency or subdivision of the State of South Carolina or the United States Federal Government, nor are they an agent of any person or entity that is currently debarred from submitting proposals on contracts by any agency or subdivision of the State of South Carolina.
- 10. DEFAULT: In case of default by the Dealer, the County reserves the right to purchase any or all items in default in the open market, charging the Dealer with any excessive costs. Should such charge be assessed, no subsequent solicitation response of the defaulting Dealer will be considered in future RFB's until the assessed charge has been satisfied.
- 11. HOLD HARMLESS: All respondents to this RFB shall indemnify and hold harmless Colleton County Government and any of their officers and employees from all suits and claims alleged to be a result of this request for bids. The issuance of this request of bids constitutes only an invitation to present a bid. Colleton County reserves the right to determine, at its sole discretion, whether any aspect of a respondent's submittal meets the criteria in this request for bids. Colleton County also reserves the right to seek clarifications, to negotiate with any dealer submitting a response, to reject any or all responses with or without cause, and to modify the procurement process and schedule.
- 12. CANCELLATION: In the event that this request for bids is withdrawn or the project canceled for any reason, Colleton County shall have no liability to any respondent for any costs or expenses incurred in connection with this request for bids or otherwise.
- 13. COLLETON COUNTY PURCHASING ORDINANCE: The Request of Bids is subject to the provisions of the Colleton County Purchasing Ordinance and any revisions thereto, which are hereby incorporated into this request for bids in their entirety except as amended or superseded within. This ordinance can be found at <a href="https://www.municode.com/library/sc/colletoncounty/codes/codeofordinances">https://www.municode.com/library/sc/colletoncounty/codes/codeofordinances</a> under Title 3 Revenue and Finance.
- 14. FAILURE TO SUBMIT ALL MANDATORY FORMS: Failure to submit all the mandatory forms from this request of bids shall be just cause for the rejection of the qualification package. However, Colleton County reserves the right to decide, on a case by case basis, in its sole discretion, whether or not to reject such a proposal as non-responsive.

#### 15. CONTRACT AWARD:

a. This solicitation and submitted documents, when properly accepted by Colleton County shall constitute an agreement equally binding between the successful Dealer and the County. No oral statement of any person shall modify or otherwise change, or affect the terms, conditions or specifications stated in the resulting agreement. The County shall not be legally bound by any amendment or interpretation that is not fully executed by both parties in writing.

b. The successful Dealer shall be required to execute a formal agreement with the County's Procurement Office within ten (10) business days after issuance of the Notice of Award.

16. CONTRACT ADMINISTRATION: Questions or problems arising after award of an agreement shall be directed to the Procurement Manager by calling (843) 782-0504. Copies of all correspondence concerning this solicitation or resulting agreement shall be sent to the Capital Projects & Purchasing Department, 113 Mable T. Willis Blvd, Walterboro, SC 29488.

## F. GENERAL CONTRACTUAL REQUIREMENTS

- 1. ABANDONMENT OR DELAY: If the work to be done under this contract shall be abandoned or delayed by the Dealer, or if at any time the County shall be of the opinion and shall so certify in writing that work has been abandoned or delayed by the Dealer, the County may annul the contract or any part thereof if the Dealer fails to resolve the matter within thirty (30) days of written notice.
- 2. DEALER'S COOPERATION: The Dealer shall maintain regular communications with the Purchasing Manager and shall actively cooperate in all matters pertaining to this contract.
- 3. RESPONSIBILITY: The Dealer shall at all times observe and comply with all federal, state, local and municipal laws, ordinances, rules and regulations in any manner affecting the purchase.
- 4. NON-APPROPRIATION / SUBSTITUTION PERMITTED: If the Colleton County Council fails to appropriate or authorize the expenditure of sufficient funds to make said purchase or if a lawful order issued in, or for any fiscal year during the term of the agreement, reduces the funds appropriated or authorized in such amounts as to preclude making the payments set out therein, the agreement shall terminate on the date said funds are no longer available without any termination charges or other liability incurring to County. Following any such non-appropriation, the master lease agreement shall contain no limitation on the County's ability to replace the equipment financed with any other equipment.
- 5. INDEMNIFICATION: Except for expenses or liabilities arising from the negligence of the County, the Dealer hereby expressly agrees to indemnify and hold the County harmless against any and all expenses and liabilities arising out of the performance or default of any resulting agreement or arising from or related to the Work as follows:

Dealer expressly agrees to the extent that there is a causal relationship between its negligence, action or inaction, or the negligence, action or inaction of any of its employees or any person, firm, or corporation directly or indirectly employed by the Dealer, and any damage, liability, injury, loss or expense (whether in connection with bodily injury or death or property damage or loss) that is suffered by the County and its employees or by any member of the public, to indemnify and save the County and its employees harmless against any and all liabilities, penalties, demands, claims, lawsuits, losses, damages, costs, and expenses arising out of the performance or default of any resulting agreement or arising from or related to the equipment. Such costs are to include defense, settlement and reasonable attorneys' fees incurred by the County and its employees. This promise to indemnify shall include bodily injuries or death occurring to Dealer's employees and any person, directly or indirectly employed by Offeror (including without limitation any employee of any subcontractor), the County's employees, the employees of any other independent contractor, or occurring to any member of the public. When the County submits notice, Dealer shall promptly defend any aforementioned action.

- 6. The prescribed limits of insurance set forth herein shall not limit the extent of the Dealer's responsibility under this Section. The terms and conditions contained in this Section shall survive the termination of any resulting agreement or the suspension of the Work hereunder. Additionally, the County will not provide indemnity to the successful DEALER. Failure to comply with this section may result in your request for bid to be deemed non-responsive.
- 7. FORCE MAJEURE: The Dealer shall not be liable for any excess costs if the failure to perform the resulting agreement arises out of causes beyond the control and without fault or negligence of the Dealer. Such causes may include, but are not restricted to acts of God or of the public enemy, acts of the Government in either its sovereign or contractual capacity, fires, floods, epidemics, quarantine restrictions, strikes, freight embargoes, and unusually severe weather; but in every case the failure to perform must be beyond the control and without the fault or negligence of the Dealer.
- 8. ARBITRATION: Under no circumstances and with no exception will Colleton County act as arbitrator between the Dealer and any supplier and or sub-contractor.
- 9. PUBLICITY RELEASES: Dealer agrees not to refer to award of this purchase in commercial advertising in such a manner as to state or imply that the products or services provided are endorsed or preferred by the County. The Dealer shall not have the right to include the County's name in its published list of customers without prior approval of the County Administrator. With regard to news releases, only the name of the County, type and duration of any resulting agreement may be used and then only with prior approval of the County. The Dealer also agrees not to publish, or cite in any form, any comments or quotes from the County's staff unless it is a direct quote from the Procurement Manager.
- 10. GOVERNING LAWS: Any agreement arising from this solicitation shall be governed by the laws of the State of South Carolina and any and all disputes arising out of said agreement shall, if litigation is necessary, be litigated only in a Circuit Court for the Fourteenth Judicial Circuit sitting in Colleton County, South Carolina. The prevailing party shall be entitled to attorney's fees and all costs of said litigation.
- 11. ASSIGNMENT: The Dealer shall not assign in whole or in part any agreement resulting from this Request for Bids without the prior written consent of the County. The Dealer shall not assign any money due or to become due to him under said agreement without the prior written consent of the County.
- 12. AFFIRMATIVE ACTION: The successful Dealer will take affirmative action in complying with all Federal and State requirements concerning fair employment and treatment of all employees, without regard or discrimination by reason of race, color, religion, sex, national origin or physical handicap.
- 13. FAILURE TO DELIVER GOODS IN ACCORDANCE WITH TERMS & CONDITIONS: In case of failure to deliver goods in accordance with the purchase terms and conditions, Colleton County, after due oral or written notice, may procure substitute goods or services from other sources and hold the dealer responsible for any resulting additional purchasing and administrative costs. This remedy shall be in addition to any other remedies which Colleton County may have.

#### 14. TERMINATION OF PURCHASE:

- 1. Subject to the Provisions below, the Purchase of goods may be terminated by the Purchasing Department providing a thirty (30) days advance notice in writing is given to the offeror.
- a. Termination for Convenience: In the event that this Purchase of goods is terminated or canceled upon request and for the convenience of the County without the required thirty (30) days advance written notice, then the County shall negotiate reasonable termination costs, if applicable.

- b. Termination for Cause: Termination by the County for cause, default or negligence on the part of the Dealer shall be excluded from the foregoing provisions; termination costs, if any, shall not apply. The thirty (30) days advance notice requirement is waived and the default provision in this request for proposals shall apply.
- c. The County shall be obligated to reimburse the Offeror only for those services rendered prior to the date of notice of termination, less any liquidation damages that may be assessed for non-performance.
- 2. Non-Appropriations Clause: Notwithstanding any other provisions of the Purchase Agreement, if the funds anticipated for the continued fulfillment of this Purchase Agreement are at any time. Not forthcoming, through the failure of the County Government to appropriate funds, discontinuance or material alteration of the program under which funds were provided, the County shall have the right to terminate the Purchase Agreement without penalty by giving not less than thirty (30) days written notice documenting the lack of funding. Unless otherwise agreed to by the County and the Offeror, the Purchase Agreement shall become null and void on the last day of the fiscal year for which appropriations were received.
- 15. GOVERNING LAWS: Any Purchase Agreement resulting from this request for bids shall be governed in all respects by the laws of the State of South Carolina and any litigation with respect thereto shall be brought in the courts of the State of South Carolina.
- 16. BONDS: Payment and Performance Bonds are not required for this request for bid.
- 17. OWNERSHIP OF MATERIAL: Ownership of all data, material, and documentation originated and prepared for the County pursuant to this Purchase Agreement shall belong exclusively to the County.
- 18. TYPE OF PURCHASE AGREEMENT: The intent of this bid is a resulting Purchase agreement whereby a Purchase Order will be issued for the requested goods. **Bid prices shall remain firm for 60 days.** If any reduction in price is announced after the issuance of a Purchase Order for the goods, the County shall receive the benefit of such reduction.
- 19. INSURANCE: Colleton County will require the following remain in force at all times through the life of the contract:

Workers' Compensation - \$100,000 – each accident Statutory Coverage and Employer's - \$100,000 each employee Liability - \$500,000 – policy limit Comprehensive General Liability -\$1,000,000 – bodily injury each occurrence \$1,000,000 – bodily injury aggregate \$1,000,000 – property damage each occurrence \$1,000,000 – property damage aggregate Products – Completed Operations - \$1,000,000 – aggregate Business Auto Liability – Same as Comprehensive General Liability Excess or Umbrella Liability - \$1,000,000

#### Colleton County will be named as an "additional insured" party



Company Name	Authorized Signatory (As registered with the IRS)
Address	E-Mail Address
City, State, Zip	Fax Number
Telephone Number	Toll Free Number
Federal Tax ID Number	Sales Tax Number



The Dealer is certifying that they are not currently debarred from responding to any request for bids by any agency or subdivision of the State of South Carolina or the United States Federal Government, nor are they an agent of any person or entity that is currently debarred from submitting bids on contracts by any agency or subdivision of the State of South Carolina.

SAM's No.


Cage Code.

DUN's No.

Authorized Representative (Signature)

Date

Authorized Representative/Title (Print or Type)



The Dealer has examined and carefully studied the Request for Bids and the following Addenda, receipt of all of which is hereby acknowledged:

Addendum No

Addendum No.


Addendum No.

Authorized Representative (Signature)

Date

Authorized Representative/Title (Print or Type)

Dealer must acknowledge any issued addenda. Bids which fail to acknowledge the dealer's receipt of any addendum will result in the rejection of the offer if the addendum contained information which substantively changes the Owner's requirements or pricing.



The Dealer will indemnify and hold harmless the Owner, Colleton County and their agents and employees from and against all claims, damages, losses and expenses, including attorney's fees, arising out of or resulting from the performance of the Work provided that any such claims, damages, loss, or expense is attributable to bodily injury, sickness, disease or death, injury to or destruction of tangible property, including the loss of use resulting there from, and is caused by any negligent or willful act or omission of the Dealer, and anyone directly or indirectly employed by him/her or anyone for whose acts any of them may be liable.

In any and all claims against the Owner, Colleton County or any of their agents and/or employees by an employee of the Dealer, and anyone directly or indirectly employed by any of them, or anyone for whose acts any of them may be liable, the indemnification obligation shall not be limited in any way to the amount or type of damages, compensation or benefits payable by or for the Dealer under the Worker's Compensation Acts, Disability Benefit Acts, or other employee benefit acts.

The obligation of the Dealer under this paragraph shall not extend to the liability of Colleton County or its agents and/or employees arising out of the reports, surveys, Change Orders, designs or Technical Specifications.

DEALER: \_\_\_\_\_\_

BY: \_\_\_\_\_

DATE: \_\_\_\_\_

TELEPHONE NO.: \_\_\_\_\_



#### BID: FMD-13 2019/2020 KENWORTH CAB AND CHASSIS WITH DUMP BED <u>CERTIFICATE OF FAMILIARITY</u>

The undersigned, having fully familiarized him/her with the information contained within this entire solicitation and applicable amendments, submits the attached response, and other applicable information to the County, which I verify to be true and correct to the best of my knowledge. I further certify that this response is made without prior understanding, agreement, or connection with any corporation, Contractor or person submitting a response for the same materials, supplies or equipment, and is in all respects, fair and without collusion or fraud. I agree to abide by all conditions set forth in this solicitation and certify that I have signature authority to bind the company listed herein.

#### MINORITY BUSINESS: Are you a minority business?

► Yes\_\_\_\_ (\_\_\_\_Women-owned /\_\_\_\_Disadvantaged) If yes, please submit a copy of your certificate with your response.

► No\_\_\_\_\_

Authorized Representative (Signature)

Date

Authorized Representative/Title (Print or Type)

## Exhibit A

## BID: FMD-13 2019/2020 KENWORTH CAB AND CHASSIS WITH DUMP BED

## **Product Summary**

Unit			Chassis			
Model:	T880 Series O	Conventional	Fr Axle Load (lbs.):	20000		
Туре:	FULL TRUCK		Rr Axle Load (lbs.)	46000		
Description:	T880 DUMP		G.C.W. (lbs.):	120000		
			Road Conditions:			
	Application					
Intended Serv.:		Local pickup & delivery.	Class A (Highway)	85		
Commodity:		Vehicles which haul	Class B (Hwy/Mtn.)	12		
		Gravel/crushed rock/sand	Class C (Off-Hwy.)	03		
			Class D (Off-Road)	00		
	Body					
Туре:		End dump				
Length (ft.):		16.0				
Height (ft.):		13.5	Maximum Grade:	6		
Max Laden Wei	ght (lbs.):	5000	Wheelbase (in):	209		
			Overhang (in):	61		
			Fr Axle to BOC (in):	74		
			Cab to Axle (in):	135		
			Cab to EOF (in): Overall	196		
	Trailer		Comb. Length (in): Special Req.	318		
			U.S. Domestic Registry, 50-State			
Data	Code	Description		Weight		
Model						
0000810	0	<b>T880 Series Conventional</b>		15,236		
0070060	0	T880				
0080055	0		ction Feature. Cummins engines.			
0090000	0	Non-Sleeper w/rear axle o				
0091042	0	Gravel/crushed rock/sand				
0093005	0	Local pickup & delivery. Vehicles which haul				
			within a 100-mile radius, on public streets &			
			surfaces, including limited Class C			
			<ul> <li>freight delivery, as well as fuel oil or</li> <li>c. Road usage: minimum 3% Class B,</li> </ul>			
		petroleum distribution, et	c. Nodu usage. IIIIIIIIIuiii 570 Class D,			
		do not code for Class D				
0095010	0	do not code for Class D. End dump				
0095010		End dump	)-State			
0095010 0098025 0123690	0 0 0		)-State			

		X15 485V 2017 485@1800 449@2000 1650@1150 300 w/ Intebrake, Diagnostic Plug for data link, Oil Cooler, Aluminum Flywheel
		Housing. Vocational, Performance Series N09200 N205 120.Standard Maximum
		Speed Limit [LSL] N09220 N2070Expiration Distance N09240 P13 120Hard
		Maximum Speed Limit N09260 P14 75Maximum Accelerator Pedal Vehicle
		Speed
		N09280 P16 0Accelerator Lower Droop
		N09300 P19 75Maximum Cruise Speed
		N09320 P38 0Cruise Control Lower Droop
		N09360 N203 252.Reserve Speed Function Reset Distance N09380 N202
		0Maximum Cycle Distance N09400 N206 10Maximum Active Distance
		N09420 N201 0Reserve Speed Limit Offset N09440 P11 YESEngine Protection Shutdown N09460 P06 NO Gear Down Protection N09480 P26
		1400.Max PTO Speed N09500 P02 NO Cruise Control Auto Resume N09520
		P04 NO Auto Engine Brake in Cruise N09540 N209 0Expiration Distance
		N09560 P520 YES. Enable Idle Shutdown Park Brake Set
		N09580 P32 5Timer Setting
		N09600 P233 YES Enable Impending Shutdown
		Warning N09620 P234 60Timer for Impending
		Shutdown Warning
		N09640 P516 35Engine Load Threshold
		N09680 P33 YES Idle Shutdown Manual Overrule N09720 P230
		YESEnable Hot Ambient Automatic Overrule N09740
		P46 40Low Ambient Temperature Threshold N09760 P56 60Intermediate Ambient Temperature Threshold N09780
		P47 80High Ambient Temperature Threshold
1000155	0	Prospector version 39.1 Replaces Prospector version 39.0
1000684	0	Effective VSL Setting NA
1000858	0	Engine Idle Shutdown Timer Disabled
1000859	0	Enable EIST Ambient Temp Overrule
1000860	0	Enable EIST in PTO Mode Use only with MX and Cummins engines
1000891	0	Eff EIST NA Expiration Miles Use only with MX and Cummins engines
1002080	0	Air compressor: Cummins 18.7 CFM, Naturally
1002000	0	Aspirated for Cummins X15 engines
1051200	S	Air Cleaner: composite firewall mounted PACCAR or
	J	Cummins engines
1105220	0	Fan Hub: Horton 2-Speed for X15
1123555	S	Cooling module: 1330 square inches. Includes aluminum radiator core,
		aluminum charge air cooler, translucent surge tank and washer bottle, silicone
		hoses, and extended life coolant.
		Includes aluminum radiator core, aluminum charge air cooler, translucent
		surge tank and washer bottle, silicone hoses, and extended life coolant.
1160208	0	Radiator bug screen mounted between hood & grille.
1247166	S	EXH:2019/2020 EPA RH UNDER DPF/SCR W/ RH SIDE OF
		CAB VERTICAL TAILPIPE WITH DAYCABS, EXTENDED DAYCABS, OR
		MODULAR SLEEPERS
1290124	0	Tailpipe: 5 in. single 24 in. 45 degree curved.
1321125	0	Fuel Filter: Davco 382 Fuel/Water Separator
1321200	0	Run Aid: None *For Fuel Filter
1321300	0	Start Aid: None *For Fuel Filter

1816260	S	Alternator: PACCAR 160-amp, brush type				
1821210	S	Batteries: 3 PACCAR GP31 threaded post (700)				
		2100 CCA dual purpose.				
1836100	S	Starter: PACCAR 12-volt electrical system. W/				
		centralized power distribution incorporating plug-in style relays. Circuit				
		protection for serviceability, 12-volt light system w/circuit protection circuits				
		number & color coded.				
1840005	0	Battery disconnect switches 2, mounted on battery box.				
1840065	S	12V low voltage disconnect for starter battery protection.				
1903020	0	Decline Driver Performance Assistant (DPA)				
Transmission &	& Clutch					
2016158		Transmission: Allison 4500RDS 6-speed				
		w/o retarder, w/PTO provision. 5th generation. For vocational applications.				
		Includes shift control, transmission oil temperature gauge, oil level sensor &				
		heat exchanger. Transynd transmission fluid is standard on all Allison 1000,				
		2000, 3000 & 4000 series transmissions.				
2405425	0	Driveline:3 Dana 1810 heavy-duty W/2 center bearings *Heavy duty is				
		1810HD series.				
2410018	0	Torque converter included w/Allison Transmission.				
2410154	0	Allison lever control, center console mounted. The lever shifter is for use				
		with Allison Transmissions and is located in the dash cup holder assembly.				
2410204	0	Delete Allison Fuel Sense				
2429358	0	<b>Rear transmission support springs for</b> transmission PTO applications are				
2423330	0	required to ensure that engine flywheel housings are not overloaded when				
		transmission PTO's are installed. Transmission PTO applications are required to				
		ensure that engine flywheel housings are not overloaded when transmission				
		PTO's are installed.				
2429378	0	Customer installed transmission PTO in the LH				
2429576	0	Mounted position (8 o'clock) for Allison 3000 & 4000 transmissions.				
Front Axle	Equipment					
2506181	0	Dana Spicer D2000 Front Axle rated 20K standard track.				
2621078	0	Front Brakes: 22K Bendix ES S-cam 16.5x6 in.				
2690035	0	Front Brake Drum: 22,000 lbs. 16-1/2x6 in. Cast.				
2702020	0	Front Hubs Iron hub pilot 20,000 lbs. 10 Bolt				
		16.5x6in. or 7in. or air disc brakes. 10 Bolt, 11-1/4 in. bolt circle.				
		Consider Wheel guards (5850002) with aluminum wheels.				
2741970	S	ConMet Pre-Set Plus Hub package; front axle.				
2750001	S	Hubcap: front vented.				
2765001	0	Front Auto Slack Adjuster.				
2866020	0	Front Springs: Taper leaf 20K w/ shock absorbers				
		w/ maintenance-free elastomer spring pin bushings. Standard with rubber				
		pins except for C500 which has threaded pins. W900S only. Not available on				
		W900L. W900B use 2866021.				
2895302ODual power steering gear: 16-22K Sheppard HD94.						
		Heavy duty. Not for use on T3.				
2899336	0	Power Steering Cooler: Radiator Mounted Air-to-Oil 2007 and later				
		engines only.				

2900616	0	Threaded Bushings for taper leaf spring 16K, 18/20K, 22K, 40K replacing				
		rubber.				
Rear Axle & Equipment						
3142160	0	Dual Meritor RT46-160 rear axle rated at 46K. Tandem rear axles.				
3200489	0	Rear Axle Ratio - 4.89.				
3334004	S	Dual Rear Brakes 16-1/2x7 in. to 46K; Bendix ES-extended service S-cam.				
3392005	S	Dual Rear Brake Drums: cast.				
3407050	S	Dual Rear Hubs: Aluminum hub pilot 46K 11-1/4 in. bolt circle.				
3441972	S	ConMet Pre-Set Plus Hub package; dual rear axle.				
3465002	S	Dual Rear axle automatic slack adjusters.				
3485209	S	Spring Brake: 3030 high output dual.				
3495226	S	Bendix 4S/4M anti-lock brake system.				
3500006	0	Inverted chambers for 16-1/2 x 7 in. brakes; Replaces standard mount w/				
		higher mount.				
3500037	0	Interaxle driveline:1 Dana 1710 Series				
3511420	0	Driver Controlled Differential Lock (Cross lock) for				
		Meritor Axles 40K to 52K forward rear & rear axle. Under				
		Speed Interlock is standard on T680.				
3573111	0	Separate switch for dual axles: differential lock or cross lock.				
3749203	0	Rear suspension: Tandem Chalmers 854-46-L-HS 46K.				
	<b>C</b>	54 in. axle spacing. High center of gravity application. Unladen Height:				
		11.3 in. Laden Height: 9.6 in.				
3808119	0	1 Steerable Pusher Watson Chalin Tru-Track 20.0K				
		SL1190SSR Alum lite; includes axle.				
3820036	0	1 Steerable Pusher Brakes: Bendix Non-RSD 15x4 Use with 20.0Kaxle.				
3820523	0	1 Steerable Pusher brake drum 15x4 for use with 20.0K axle.				
3821121	0	1 Steerable pusher hubs aluminum hub pilot for use with 20.0K axle.				
3828331	0	Pusher or Tag: gauge/switch and pressure				
		regulator dash-mounted. Reduces gauge count by 7 (1-gauge, 6-				
		regulator mounting panel)				
3841054	0	1st Pusher location: 54 in. from c/l Forward tandem axle or single rear axle.				
Tires & Whee	els					
4077532	0	Front tires: Bridgestone M854 425/65R22.5 20PR.				
		44.8 in. diameter, all position. On/Off highway. Wide-base tire. Curb protector				
		bar20.7 in. SLR.				
4277491	0	Rear tires: Bridgestone M799 11R24.5 16PR.				
		44 in. diameter, all position. 20.5 in. SLR. Code is priced per pair of tires.				
4781854	0	1 steerable pusher:2 R268ECOPIA 295/75R22.5				
		14PR. 40.3 in. diameter, all position. Side wall protector bar. 18.8 in. SLR. For P&D & construction vocations.				
4000008	0	Rear Tire Quantity: 8				
4900008	0	Front wheel: Alcoa 82462 22.5x12.25 aluminum,				
5045218	0	with Level One [TM] finish, hub pilot mount. 11000lb. maximum rating. 5.80 in.				
		offset. Air disc brake compatible.				
5242330	0	Rear wheel: Accuride 50409 24.5X8.25 steel				
	-					

		ACCU-LITE. Steel Armor [TM] powder coat, hub pilot mount. 7400lb. maximum rating.
5781164	0	1 steerable pusher wheel: 2 Accuride 50487 steel
	-	22.5x8.25. Steel Armor [TM] powder coat, hub pilot mount. 7400lb. maximum
		rating. 5-hand holes.
5900008	0	Rear Wheel/Rim Quantity: 8
Frame & Equipment		
6056400	0	Frame Rails: 10-3/4 x 3-1/2 x 3/8in. Steel 285in.
		to 336 in. Truck frame weight is 3.48 lbin. per pair of rails. Section modulus
		is17.80, RBM is 2,132,000 in-lbs. per rail. Frame rail availability may be
		restricted based upon application, axle/suspension capacity, fifth wheel
		setting, or component/dimensional specifications. The results of the
		engineering review may result in a change to the requested frame rail. If a
		change is required Kenworth Application Engineering will advise the dealer of
		the appropriate material specification for a substitute rail.
6141400	0	Full Steel Insert: for 10-5/8 in. or 10-3/4 in.
		Steel 285 in. to 336 in. or 2nd insert for 11-5/8 in. steel frame. Adds
		1,149,000 in-lb. to main rail RBM. Truck insert weight is 2.05 lbin. per pair of
		rails. Full frame insert length is equal to wheelbase plus rear frame cutoff plus
		dimension forward of front axle by model: T660, T680, T800, T880 = 21.26 in.;
		C500B = bumper setting minus 0.79 in.; W900B = 5.27 in., W900L = 1.50 in.,
		W900S = 3.27 in.; T440/T470 50 in. bumper setting = 21.26 in., T470 73 in.
		bumper setting = 72.3 in.
6302361	0	Bumper: Tapered polished aluminum channel.
		Requires a bumper setting code.
6319485	0	48.5 in. Bumper setting. Requires a bumper code.
6324025	0	Front tow hook: Center mounted, cast. Requires iron front drive brackets.
6400636	0	Battery box cantilever aluminum BOC w/
		fiberglass cover.
6409902	0	Battery box location: RH Side.
6451090	0	T470, C5, T6, T8 non-polished DPF/SCR or CNG cover
		diamond plate w/ step. For use w/ 2010 or later exhaust systems. For T8,
		use extended length non-polished battery box on opposite rail to match the
		length of under cab components. End plates will be painted standard black
		frame color.
6721102	S	Rear mud flap arms: Betts B-25 standard-duty, straight. Includes B1732
		mounting brackets as standard.
6722000	S	Rear mud flap shields: White plastic anti sail w/ Kenworth logo.
6742009	S	Square end-of-frame w/ o crossmember; non-towing.
Fuel Tanks		Fuel Tank: 100 US gallons 24.5in. aluminum under
7210100	S	replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.
7722011	0	Small round DEF tank. 11 gallons of
		useable volume. The DEF tank will be located on the side you specified. If you
		have specific configuration or body builder concerns, please utilize the

		of the vehicle and will accommodate two diesel fill-ups for every DEF fill-up. For 1:1 DEF fuel fill ratio, add 7889204.
7889203	0	Standard DEF to fuel fill ratio: 2:1 or greater.
7889245	S	Anti-siphon device swaged in place. For any number of fuel tanks.
7889604	0	DEF tank location is on the LH.
7920100	0	Location: 100-gal fuel tank LH under cab
8025301	S	Cab: Stamped aluminum cab with panoramic curved
	Ū	glass windshield. Standard with stamped aluminum doors, heavy duty in-
		swinging hinges, and triple sealed doors. Manufactured using self piercing
		rivets and structural adhesive. Includes LED exterior marker lights and turn
		signals.
8090604	0	Hood: T880 Standard Length with Mechanically Fastened Fenders. 122.6-
		inch BBC.
8108011	S	Cab HVAC - Day Cab and 40in Sleeper
		System with Defrost, A/C, and 48,000 BTU/hr. Heater. Includes automatic
		temperature control with one touch defrost operation and dash mounted cab
		temperature and solar intensity sensors. Pleated fresh air filter and cabin
		recirculation air filter standard. The Kenworth HVAC system is designed to
		provide optimal heating and cooling in all operating environments without
		need for additional insulation. Cab HVAC without sleeper heater AC is
		available with 40in sleeper.
8201013	S	Steering wheel: 18 in. 4-spoke.
8201200	0	Adjustable telescoping tilt steering column.
8205177	0	Dash Switch: 1st Allison-mounted PTO.
		Electric switch and wiring are factory-installed to control the 1st Allison Trans
		mounted PTO.
8225658	0	Gauge: Axle oil temperature, dual-drive axle. (2 gauges) w/integral
		warning light.
8282007	S	Kenworth Driver Performance Center:5in Full Color
		high resolution Thin Film Transistor (TFT) active matrix display with advanced
		driver information including fuel economy performance, outside air temp,
		clock, odometer and trip, engine hour meter, ignition timer, engine RPM, general truck information, diagnostics, and gear display. All Highline
		functionality is accessed via the Kenworth MCS providing intuitive control at
		the driver's fingertips. Also includes Dark Cabin functionality. When
		activated, the only interior light that will function when a door is opened is
		the door courtesy lamp.
8282013	S	Kenworth instrumentation and control package with
0202013	3	9 standard easy-read gauges: includes speedometer, tachometer, fuel gauge,
		engine coolant temp, engine oil pressure, voltmeter, dual air pressure, air
		application pressure and DEF gauge. All accessory controls utilize
		electronically activated solenoids that include advanced vehicle protection
		interlocks.

8330102	S	Interior package: Vantage Day cab				
		Includes durable headliner and vinyl sidewalls with geometric patterned trim				
		and anodized aluminum accents throughout. Convenient overhead storage				
		cubbies, full size glove box, two center console cup holders, and large door				
		pad map pocket. Standard LH/RH power windows, electric door locks,				
		interior LED lighting, nighttime-friendly red ambient lighting for dash and				
		foot well, and door mounted courtesy light. Includes two standard 12V				
		power outlets. Driver sun visor includes strap.				
8390634	S	Rubber floormat				
8410194	S	DR Seat: GT701 HB with Dura-Supreme material.				
		The GT701 is standard with a single air bag, scissor linkage seat suspension. It				
		includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in				
		Up/Down adjustment, 2.5in pan extension, 51-degree seat back recline, and				
		16-degree full seat tilt. Includes 3-point matching seat belts. DR seat standard				
		w/ dual armrests.				
8480100	0	RD Seat: GT100 Toolbox HB with Dura-Supreme				
0100100	U	Material. The GT100 seats are standard with fixed base. Includes				
		3-point matching seat belts. RD seat standard w/ LH armrest.				
8490187	S	Seat color: Slate Gray with Gray stitching.				
8601421	0	Kenworth Radio with AM/FM/WB/USB and Bluetooth				
8698974	0	Base Level Audio System - Day cab: High Performance Door Speakers.				
8699926	0	CB installation kit: Center mounted of header.				
		W/header mounted quick release CB mount. One red power post & one black				
		ground post. Includes dual antenna leads located on the mirror brackets.				
		Includes dual antenna & separate speaker.				
8700168	S	Non-self-cancelling turn signal: W/column-mounted headlight dimmer				
		switch & intermittent wiper control.				
8700663	0	Kenworth Truck Tech+				
		The Kenworth Remote Diagnostics system provides the World's Best				
		reporting of engine and after treatment fault codes, as well as enhanced				
		support for the truck owner through rapid communication of fault severity				
		and recommended actions. This option is Standard on all Kenworth's with an				
		MX engine.				
8800402	S	Dual Cab Interior Grab handles: A Pillar Mounted				
		Dash Wrap and B Pillar Mounted Grab handles				
8832113	S	Kenworth Day-lite Door with standard LH/RH electric door locks and LH/RH				
		electric window controls.				
8841618	0	Dual rectangular air horn 23 in. LH & RH top of roof. Includes air horn				
		covers.				
8850139	S	Look-Down, Pass. Door, Black 11x6				
8865002	S	Aero Mirror: Dual Kenworth Aerodynamic Motorized				
		heated mirrors, 7in X 13in with cab color mirror shell and black mirror arms.				
		Also includes LH/RH heated 6in X 7in convex mirrors. Mirror brackets set for				
		8-1/2 ft. load width. Mirror controls located on driver side door pad.				
8871446	S	Rear cab stationary window 19in x 36in				
8890101	S	One-piece bonded-in windshield with curved glass. Standard.				
8890135	0	Exterior stainless-steel sun visor.				

8890300	300 O Fender close-out: Below headlamp, behind bumper. *NOT availab							
		3-piece bumper.						
8890349	0	Wheel well Fender Extension: 2.5 Inches						
8890876	S	Kenworth Cab/Sleeper Air Suspension.						
Lights &	Instrun	Instruments						
9010553	S	Headlamps: SAE Dual Halogen Complex Reflector						
9022137	S	Marker Lights: Five, rectangular, LED						
9030016	S	Turn Signal Lights: Flush mounted LED mounted at top of fender wheel						
		arc						
9030052	S	LED Stop, Turn, Tail: With Two LED Backup Lights and With an LED License						
		Plate.						
9090039	S	Marker Lights: Interrupter Switch.						
		Included in Turn Signal for All Models Except T3. The T3 Switch Is in The Dash.						
9090142	0	Wiring Only: For customer-installed backup alarm.						
9090849	0	Poly-switches replacing fuses. Switch will automatically reset after						
		removal of excess load.						
Air Equipme	nt							
9101235	0	Air Dryer: Bendix AD-IS Extended Purge heated. with Pura-Guard						
9108001	S	Moisture ejection valve w/ pull cable drain.						
9110020	0	Full truck kit: Glad-hands mounted at end-of-						
9110020	0	frame. Seven-way female receptacle mounted at end-of-frame in taillamp						
		bracket. Kit includes dash mounted trailer air supply valve, trailer hand control						
		valve, and hoses/fittings for the valves. Dash mounted parking brake valve,						
		tractor protection valve, and spring brake inversion/relay valves are standard.						
9140020	S	Nylon air tubing in frame & cab, excluding hoses subject to excessive heat						
9140020	5	or flexing.						
0440005	<u>^</u>							
9140085	0	Bendix LQ-5 ratio valve for Kenworth-installed						
		pusher/tag. LQ-5 valve limits the amount of air applied to the pusher brakes.						
0440000		Helps prevent lockup in lightly loaded conditions.						
9140328	0	Trailer ABS electric supply through SAE J560 7-pin connector per TMC						
		RP137).						
920021	S	Standard Warranty						
Extended Wa	arranty	Engine: PP1-5 yr./300K mileage, After treatment-5 yr./300K mileage						
		Transmission: ETC-5 yr./unlimited mileage Rear: ETC-5 yr./unlimited mileage						
		Real. ETC-5 yr./drinnined finleage						
Miscellaneou								
9409852	0	GHG Secondary Manufacturer: Does Not Apply						
9490003	0	Additional lead time required for off highway & /or specialty component						
		truck.						
9490206	0	Warning triangle reflector kit: Shipped loose.						
		Kit consists of 3 triangles in plastic carrying case. Not floor mounted.						
9490417	0	One 5 lb. dry chemical type fire extinguisher mounted inboard of driver						
		seat. Class ABC.						
Paint	0	Paint color number.						
9700000	-	N97020 A - L0006 WHITE N97200 RAME - N0001 BLACK						
9943004	0	Bumper Unpainted						

9943050	0	Day Cab Standard Paint
9944820	0	1 - Color Paint - Day Cab
		Color will be White if no other color is specified.
9965510	S	Base coat/clear coat.
		The Kenworth Color Selector contains additional instructions, as well as
		information on Kenworth paint guidelines and surface finish applications.
		Kenworth is standard with Dupont Imran Elite paint.

#### **DUMP BODY DESCRIPTION**

Yardage 18/20 Body ID: 85 Body Length: 18' Hoist Model: 63126 Frame Style: TUBE w/X-MEM 12 C/L Front Style: STRAIGHT Rear Style: 6 SLANT Front Exhaust Notch: NO Front Height: 56 Side Height Front: 42 Side Height Rear: 42 Rear Height: 50 Side Material: SHEET-10GA-A36 Front Material: SHEET-10GA-A36 Tailgate Material: SHEET-7GA-A36 Floor Material: PLATE-1/4-AR450 Skirt Material: NA Cab-shield Style: STANDARD Cab-shield Projection: 24 Cab-shield Width: 85 Tarp Style: MOUNTAIN Tailgate Type: STANDARD Coal Chutes: 0 Tailgate Bracing Style: 1 HORIZONTAL Horizontal Side Brace: NO Side Top Rail Style: 4x4x.120 (Standard) Line posts: YES Dump Apron: HEAVY DUTY Dump Apron Size: 10 Side Light Cutouts: LOWER FRONT Metro Light Quantity: 1 **Dirt Shedding Angle: NO Board Holder Height: 8** Ladders / Steps: Ladder from Automation Model (STD Ladder) Body Add-On: Paint Paint: Stock Color Black Truck: Truck Truck: Installed Side Boards: BOARD KIT WOOD 8" - UP TO 17' - NOT SLOPED SIDES Hydraulic Tank: HYD TANK PYRAMID FLAT BOTTOM STD PHINST Rear Hinge: ASSEMBLY HINGE REAR REM LARGE (STD) PHINS

Hoist - STD FRAMES W/ TUBING RUNNERS: 1780208 - 63126 HYVA Cab Controls: Auto Trans: CTRL KIT ES PTO/CABLE TO PUMP PHINS Pump - Auto Trans: PUMP KIT CS/AUTO G102-D1-2.0(073) C/W ROT PTO - Auto Transmission: PTO KIT ELEC AT CS24-A1006-H3KX PHINST Mud Flaps - Chisholm: MUD FLAP KIT 30" W/GRVL GUARD MAV PHINST Backup Alarm: STD BACK-UP ALARM KIT PHINST Front Harness Options: LTS KIT-C/S-2 C/M-PHINST Side Harness Options: LTS KIT-LWR FRT C/M-16 MAV-PHINST Rear Harness Options: LTS KIT-1SET MET-PHINST Truck Plug Options: KENWORTH PIGTAIL Air Tailgate Kit: TAILGATE KIT AIR PHINST Body Prop: BODY PROP PHINST KIT <=16FT Chrome Turnout: Cab-shield Installed - Chrome Turnout Hi-Lift Tailgate Kit: Not Installed or N/A Vibrator Kits: NONE Cab Height: Other Cab Height (Specify on Order)

#### **UM Quantity Item Description**

EA 1.00 1249369 TARP ELEC MT VIN N/FL AL 10-16 INST PKG EA 1.00 1250302 HITCH 22" 45TON W/GLADS 7-PIN INSTALL



#### BID: FMD-13 2019/2020 KENWORTH CAB AND CHASSIS WITH DUMP BED <u>Bid Form</u>

**Base price to include**: One (1) 2019/2020 Kenworth Cab and Chassis with Dump Body as specified, all applicable fees, delivery and other charges. Prices shall remain firm for <u>60</u> days.

Proposed Dump Body Manufacturer and Model: \_\_\_\_\_

List exceptions to Dump Body Specs, if any: \_\_\_\_\_\_

	Sales tax:	\$ 		
		 wing information:	 	
Kenworth Dealer:		 		
Address:		 		
City:	State:	 _ Zip:		
Authorized Representative: _				