


SCOTSMAN


AIR & WATER, MODULAR CONTOUR CUBERS



BIN OPTIONS:



BIN: HTB250



BIN: HTB350



APPROX. CUBE SIZE:
1 3/8" x 1 3/8" x 5/8" THICK

CME256

VOLUME PRODUCTION • 24 HOUR

Certified & rated in accordance with ARI stan- dard 810-95	Air-Cooled		Water-Cooled	
	70°/50° lbs./kg.	ARI 90°/70° lbs./kg.	70°/50° lbs./kg.	ARI 90°/70° lbs./kg.
CME256-1	307/139	240/109	320/145	250/114
CME256-32	307/139	240/109	-	-

VALUE THE DIFFERENCE OF CM³ ICE MACHINES:

- CM³ series offers the lowest lifetime operating costs based on lower water and electrical usage. Combine that with a competitive purchase price and the best warranty in the industry and you have the lowest lifetime ownership cost. Period.
- AutoIQ™ Control System monitors and controls the ice machines' functions to ensure consistent ice production and reduce operating costs.
- CM³ Evaporator is a hot tin dipped, molecularly bonded plate that has been field tested and proven 99.4% reliable over 5 years.
- Rust-free Polyethylene Base and Food Zone is insulated with 1-1/2" of foam which keeps water and food zone cool to reduce operating costs and is backed by a Lifetime Rust-free Warranty.
- Contemporary styling and stainless steel finish make the CM³ a perfect addition to any operation.
- Now protected with AquaArmor™ utilizing AgION™, a silver-based anti-microbial compound that reduces the growth of bacteria, microorganisms, algae, mold and slime on ice machine surfaces. AgION is a trademark of AgION Technologies and is registered with the EPA.



WARRANTY See your dealer for complete warranty details.

- Limited Lifetime Rust Free Warranty on Food Zone
- 3 years parts and labor on all components.
- 5 years parts and labor on the CME evaporator.
- 5 years parts on the compressor and condensor.

SCOTSMAN MODULAR BINS					
Model Number	Dimensions W"xD"xH"	ARI Bin Capacity	Application Capacity	Finish*	Ship Weight lbs./kg.
HTB250	30 x 31.5 x 22.5	190 lbs.	250 lbs.	HTB	80/36
HTB350	30 x 31.5 x 29.5	270 lbs.	350 lbs.	HTB	90/41
HTB555	30 x 34.5 x 44.5	420 lbs.	535 lbs.	HTB	110/50
BH550	30 x 31.5 x 44	410 lbs.	520 lbs.	SS	140/64

* (HTB) Linear Low Density Polyethylene—Grey color.
(SS) Stainless Steel with Polyethylene liner.

Certified & rated in accordance with ARI standard 820-95

This product qualifies for the following listings:


 Listed in accordance with ARI standard 810-95


AgION
ANTIMICROBIAL

CERTIFIED

 9001:2000



CM³ Ice Machine Specifications



All models: Dimensions: W x D x H Unit: 30" x 24" x 27" Shipping Carton: 33 1/2" x 28" x 32 1/2"

Model Number	Condenser Unit	Basic Electrical Volts/Hz/Phase	Max. Fuse Size or HACR Circuit Breaker	Comp. HP	Circuit Wires	Min. Circuit Ampacity	BTU's per hour	Shipping Weight lbs./kg.	Power Consumption KWH/100 lbs. 90°/70° F	Water Usage Gallons/100 lbs. 90°/70° F	
										Potable	Condenser
CME256AS-1F	AIR	115/60/1	20	1/2	2	16	5,500	185/84	9.5	27.0	-
CME256WS-1F	AIR	208-230/60/1	15	1/2	2	7.9	5,500	185/84	9.5	27.0	-
CME256WS-1F	WATER	115/60/1	20	1/2	2	16	5,500	195/88	7.7	25.0	190

All units with Stainless Steel finish.
 Refrigerant: R-404A.

OPTIONS:
 Stacking Kit: Number KSCME6-30 (CME256, CME506, OR CME806, CME656 ON CME256, CME506, CME656, OR CME806).

Scotsman's ice machines are not designed for outdoor installations. Scotsman remote condensers are designed for outdoor installations.

Machine requires voltage indicated on rating name plate. Failures caused by improper voltage are not considered factory defects. Extended periods of operation at temperatures exceeding limitations constitutes misuse under the terms of Scotsman Manufacturer's Limited Warranty, resulting in a loss of warranty coverage. Specifications and design are subject to change without notice.

Consult Your Local SCOTSMAN Representative At:

IMPORTANT OPERATING REQUIREMENTS:

	Minimum	Maximum
Air Temperatures	50°F (10°C)	100°F (37.7°C)
Water Temperatures	40°F (4.4°C)	100°F (37.7°C)
Remote Cond. Temps	-20°F (-28.9°C)	120°F (48.9°C)
Water Pressures	20 PSIG	80 PSIG
Electrical Voltage	-5%	+10%

YOU'LL VALUE THE DIFFERENCE™

775 Corporate Woods Parkway • Vernon Hills, IL 60061 • 1-800-SCOTSMAN • Fax: (847) 913-9844
 Visit our website at: www.scotsman-ice.com • E-mail: customer.service@scotsman-ice.com

Scotsman®

LOWES.COM



Frigidaire 18.2 cu ft Top-Freezer Refrigerator (Black)
Item #: 293512 | Model #: FRT18L4JB

Ice maker



Frigidaire Ice Maker for Top Mount Refrigerator
Item #: 330487 | Model #: IMQCT

Shop Cabinets & Workstands




Workbench Cabinets

12-ga. steel cabinets come fully assembled. Units are lockable with a 3-point locking system that accommodates a padlock (not included). Benches with drawers have a weight capacity of 400 lb. per drawer, based on evenly distributed loads.

Key	Top Material	Top W (in.)	Overall Bench Depth (in.)	Overall Bench Height (in.)	Item No.	\$ Each
Multi-Compartments						
A	1 1/4" Maple	48	36	37	5HZP1	1,987.00
	1 1/4" Maple	60	36	37	5HZP2	2,253.00
	1 1/4" Maple	72	36	37	5HZP3	2,493.00
	1 1/4" Maple	84	36	37	5HZP4	2,818.00
B	1 1/4" Maple	96	36	37	5HZP5	3,089.00
	1 1/4" Maple	108	36	37	5HZP6	3,594.00
	1 1/4" Maple	50	30	34	5HZP7	3,016.00
C	7-ga. Steel	84	30	34	5HZN8	2,872.00
	7-ga. Steel	96	30	34	5HZN9	3,007.00
	7-ga. Steel	108	30	34	5HZP0	3,158.00
With 12"H Riser						
D	12-ga. Steel	60	30	46	5HZP8	2,114.00
	12-ga. Steel	72	30	46	5HZP9	2,292.00
With 3 Upper Compartments						
E	12-ga. Steel	72	30	62	5HZR0	2,461.00
	12-ga. Steel	84	30	62	5HZR1	2,676.00
With Pegboard, 12 Bins and Outlet Strip						
F	12-ga. Steel	72	30	72	5HZR2	3,772.00

* Includes 2 drawers.



Cabinets

WORKBENCH CABINETS

- 20" deep shelves adjust on 2 1/2" centers
- Bench measures 300 x 34"H
- Each basic bench cabinet consists of a top, base, 2 end panels, a center panel, 2 shelves and a back
- Tan powder-coated finish
- Shipped unassembled

Top Material	Top W (in.)	Brand	Item No.	\$ Each
Workbench Cabinets				
Butcher Block Maple	60	Edsal	7D213	657.50
Butcher Block Maple	72	Edsal	7D214	748.00
Plastic Laminate	60	Edsal	7D215	538.00
Plastic Laminate	72	Edsal	7D216	615.00
Shop Top	60	Edsal	7D217	548.50
Shop Top	72	Edsal	7D218	619.50

Type	Fits Top Width (in.)	Brand	Item No.	\$ Each
Workbench Cabinet Accessories				
Sliding Door Kit, 2 Doors	60	Edsal	41W51	188.75
Sliding Door Kit, 2 Doors	72	Edsal	41W52	196.25
Drawer Set, 6 Drawers	60	Edsal	41W53	393.00
Drawer Set, 6 Drawers	72	Edsal	41W54	432.00

Type	W (in.)	D (in.)	H (in.)	Brand	Item No.	\$ Each
Table Cabinets						
Single Door	21	15 1/2	32 1/2	Edsal	1W814	185.25
Single Door	24	24	35	Edsal	1W909	261.50
Double Door	36	24	35	Edsal	1W703	361.25
Single Door	24	24	34 1/2	Durham	1UBK7	239.50
Double Door	36	24	34 1/2	Durham	1UBK8	371.75

* Ships assembled.

Description	W (in.)	D (in.)	H (in.)	Brand	Item No.	\$ Each
Service Counter						
Service Counter	36	24	39	Edsal	1W887	286.00
Door Set	36	—	37	Edsal	1W880	154.25

Combine the benefits of enclosed storage with a heavy-duty working bench. For more information regarding tops, see page 2201.


TABLE CABINETS

Edsal—Work surface can be mounted to form a 2" deep tray or reversed to provide a smooth, rimless work table. Cylinder locks are built into the T-handle on the door (keyed differently). Shelves adjust on 1 1/2" centers. No. 1W814 has 3 adjustable shelves inside 6.2-cu. ft. interior to provide ample storage space. Nos. 1W909 and 1W703 include 1 adjustable shelf. Gray powder-coated finish, shipped unassembled.


Durham—Include 1 fixed, 200 lb.-capacity shelf (based on evenly distributed loads), and 3-point locking mechanism with keyed locking handle. Shipped fully assembled.

SERVICE COUNTER


- Modular design permits easy installation of additional counter space; 16-ga. steel, box-formed top
- 24-ga. embossed steel counter fronts and end panels
- 1 adjustable shelf on 1" centers
- Gray powder-coated finish
- Shipped unassembled



No. 7D213



w/Sliding 2-Door Kit



w/Drawer Set



No. 1W814



No. 1W703



Service Counter



Door Set

Workstands

DOCUMENT CENTER

Flexible 18" shaft mounts securely and adjusts to place information at a comfortable level. Holds frame containing ten 8 1/2 x 11" vinyl page protectors.

DOCUMENT STAND

Steel stand helps organize, display, and protect documents. Stand holds two 13 x 26" high-impact

Description	L (in.)	W (in.)	H (in.)	Item No.	\$ Each
Document Center	12	20	—	41T63	171.25
Document Stand	13	26	55	41R88	344.75
Inspection Stand	20 1/4	25 1/4	47	41R99	795.00

polystyrene panels, which accommodate four 8 1/2 x 11" documents (secured with 4 clips, included). Inclined writing panel has a hinged cover to protect paperwork.

INSPECTION STAND

Versatile stand has a flat, cushioned work surface to carefully inspect parts. A locking utility drawer (20 1/2"W x 19 1/2"D x 3 1/4"H) secures tools and gauges. Inclined back panel has clear hinged cover with security clips to display specifications or procedures. With locking casters.



Inspection Stand



Document Center



Document Stand





View Your Personal Lists | Order Status | Order History



Catalog 492

Find a Branch

Search

Search

Products

Resources

Services

Worldwide

Repair Parts

About Us

Today's Features

Site Features

Need help? [Click to Chat](#)

Need help? [Click for Call](#)

EDSAL Workbench Top, Butcher Block, D 36, W 120

Material Handling > Racks, Shelving and Workbenches > Workbench Tops

Workbench Top, Radius Edge, Butcher Block Maple, Top Depth 36 In, Top Width 120 In, Top Thickness 1 3/4 In, Oil Rubbed Natural Finish, Includes Stringer and Hardware

Grainger Item # **4KYZ3**
 Your Price (ea.) **\$620.10**
 Brand **EDSAL**
 Mfr. Model # **BB36120TARE**
 Ship Qty. 1
 Sell Qty. (Will-Call) 1
 Ship Weight (lbs.) **226.0**
 Usually Ships** From mfr. w/in 12 bus. days
 Catalog Page No. **2201**
 Country of Origin **USA**
 (Country of Origin is subject to change.)



[Enlarge Image](#)

Qty. [Add to Order](#) [Add to Personal List](#) [Compare Alternates](#)

Tech Specs	Additional Information	Compliance & Restrictions	MSDS	Required Accessories	Optional Accessories	Alternate Products	Repair Parts
Item Type		Workbench Top					
Surface Material		Radius Edge					
Top Depth (In.)		Butcher Block Maple					
Top Width (In.)		36					
Top Thickness (In.)		120					
Finish		1-3/4					
Includes		Oil Rubbed Natural					
		Stringer and Hardware					

Other Popular Terms for this Product

Modular Workbench Bench Tops Workbench Tops
 Components

[View Catalog Page](#) [View Printable Page](#)

The "Usually Ships" reflects when an item is generally expected to ship from Grainger based on its stocking location. Real-time availability information will be shown during the checkout process and on the e-mail order confirmation (for U.S. and Puerto Rico - US customers only). Please allow additional delivery time for international orders.

Customers Also Viewed



Glove, Leather, L, Pr
 Price: **\$2.77**
 Brand: **CONDOR**



Gloves, Palm Coated, Charcoal, M, PR
 Price: **\$7.25**
 Brand: **PIP**



Raincoat, PVC, X Large
 Price: **\$10.68**
 Brand: **CONDOR**



Standard PVC Cone, Orange, 18 In
 Price: **\$10.57**
 Brand: **APPROVED VENDOR**

Customers Also Purchased

1 of 5



Flared Workbench Legs, D 36, PK 2
 Price: **\$59.45**
 Brand: **EDSAL**



Workbench Top, Butcher Block, D 36, W 120
 Price: **\$689.00**
 Brand: **EDSAL**



Stackable Workbench Drawer, W 17 1/4
 Price: **\$78.50**
 Brand: **EDSAL**



Workbench Lower Shelf, W 60 In, D 15 In
 Price: **\$43.15**
 Brand: **EDSAL**



Workbench Back and End Stops, W 60, D 30
 Price: **\$32.40**
 Brand: **EDSAL**

[Return To Top](#)

Buy Premium Work Tables, Serving Trays, Food Storage, Appliances and More at Global Industrial and Save Money Today!

A World of Products
A Global Company

Log In | Your Account | Shopping Cart 0 Items - (\$0.00)

Products

Account Tools

Help Center

[Enter Stock # or Keyword

SEARCH

[Return to Category List](#)

Home > Foodservice & Appliances > Sinks > 2 Compartment Sinks > Aero NSF® Approved SS Two Compartment Sinks

Browse Sinks
(2,710 Items)Sub Category
[2 Compartment Sinks \(373\)](#)
[Remove](#)Aero NSF® Approved SS
Two Compartment Sinks
[Remove](#)

Narrow Your Results By:

Compartment Length Inches

- 18 (4)
- 24 (2)

Compartment Width Inches

- 18 (4)
- 24 (2)

Aero NSF® Approved SS Two Compartment Sinks



Aero Stainless Steel Sinks Are Made With The Highest Quality Workmanship For Years Of Dependable Service.

Made using heavy gauge stainless steel that is corrosion resistant. Sinks include 10"H backsplash. Solid stainless steel wrap around sink bowl ensures flat front for easy clean-up. Sink bowls are 12"D. Hemmed exposed edges for safety. 8" off center faucet holes. Legs are made of 1-5/8" diameter x 18 gauge stainless steel and include 1" adjustable, impact resistant plastic feet. Sinks are available with or without drainboards on your choice of Left handed, right handed or dual-sided mounting. Drainboards provide increased work space that is great for storing dirty or recently cleaned dinnerware. NSF approved.

Can't Find It?
Let a Rep Help You!

Customize / Add To Cart

Recently Viewed

Categories

- Sinks

Aero NSF® Approved SS Two Compartment Sinks

Click on a model number to view additional specifications, photo galleries and accessories. Click on an [underlined](#) title to change sort order.

DESCRIPTION	COMPARTMENT SIZE			OVERALL DIMENSIONS		IMAGE	MODEL	QTY	PRICE
	W"	D"	L"	W"	D"				
Aero 18GA Two Bowl SS sink 18 x 18	18	12	18	41	23.50		T9A242809		\$435.79
Aero 18GA Two Bowl SS sink 18 x 18 with 18" Left Sided Drainboard	18	12	18	56.50	23.50		T9A242810		\$475.53
Aero 18GA Two Bowl SS sink 18 x 18 with 18" Right Sided Drainboard	18	12	18	56.50	23.50		T9A242812		\$475.53
Aero 18GA Two Bowl SS sink 18 x 18 with 18" Ring and Left Sided Drainboard	18	12	18	72	23.50		T9A242811		\$529.47
Aero 18GA Two Bowl SS sink 24 x 24	24	12	24	53	23.50		T9A242813		\$637.51
Aero 18GA Two Bowl SS sink 24 x 24 with 24" Right and Left Side Drainboard	24	12	24	86	29.5		T9A242814		\$896.54

Customize / Add To Cart

Have a Question About This Product?
[Chat live with a representative](#)

Give Us Your Feedback On This Page

* Help us continuously improve by reporting any errors or omissions on this page including:

- Incorrect or confusing information
- Misspellings or bad grammar
- Page not loading correctly or generating an error
- I did not find what I was looking for
- Other

Please provide an example of any missing or incorrect information.

* Comments:

* Email Address:

If you need immediate assistance, please call 1.888.978.7759.

SUBMIT MY COMMENT



View Your Personal Lists | Order Status | Order History



Catalog 402

Find a Branch

Search

Search

Products

Resources

Services

Worldwide

Repair Parts

About Us

Today's Features

Site Features

INGERSOLL-RAND Compressor, Air, 5.0 HP

Pneumatics > Air Compressors and Vacuum Pumps > Stationary Electric Air Compressors

Electric Two Stage Air Compressor, Type 30, HP Rating 5.0 HP, Air Delivery 15 CFM, Maximum Pressure 175 PSI, Voltage Rating 230 Single Phase, Current Rating 28 Amps, Tank Capacity 60 Gallons, Rated ASME, Tank Type Vertical, Oil Capacity 32 Ounces, With Manual Drain, Discharge Isolation Valve, Height 69 Inches, Length 32 Inches, Width 30 Inches, Outlet 1/2 Inch FNPT, Start Up Kit Number 4M579

Grainger Item # 4L977
 Your Price (ea.) **\$1,495.00**
 Brand INGERSOLL-RAND
 Mfr. Model # 2340L5
 Ship Qty. 1
 Sell Qty. (Will-Call) 1
 Ship Weight (lbs.) 425.0
 Usually Ships** Today
 Catalog Page No. 3667
 Country of Origin USA
 (Country of Origin is subject to change.)



Required Accessories

More Accessories

Pad, Anti Vibration
 Price (ea.) \$34.20
 Brand: MASON
 Qty

Qty.

Add Grainger TripleGuard® repair & replacement coverage for \$199.00 each.

Tech Specs	Additional Information	Compliance & Restrictions	MSDS	Required Accessories	Optional Accessories	Alternate Products	Repair Parts
Item		Electric Air Compressor					
Sub-Category		Type 30, 2 Stage					
Type		Base Model					
Pump Type		Cast Iron					
HP		5					
Max. Pressure (PSI)		175					
Free Air CFM @ 175 PSI		15.0					
Free Air CFM @ Max. Pressure		14.3					
Voltage		230					
Phase		1					
Amps AC		28.0					
Tank (Gal.)		60					
Tank Type		Vertical					
(FNPT) Outlet (In.)		1/2					
Length (In.)		32					
Width (In.)		30					
Height (In.)		69					
Oil Capacity (Oz.)		32					

Other Popular Terms for this Product

Air Compressors Electric Air Compressors Electric Compressors Stationary Air Compressors Stationary Compressors
 Oil-Lubricated Air Compressors Oil-Lubricated Compressors Two-Stage Air Compressors Two-Stage Compressors

The "Usually Ships" reflects when an item is generally expected to ship from Grainger based on its stocking location. Real-time availability information will be shown during the checkout process and on the e-mail order confirmation (for U.S. and Puerto Rico - US customers only). Please allow additional delivery time for international orders.



Hello, Marty Stallings | Sign Out | Help

Catalog | Find a Branch | Cart Contains: (1) Item

PRODUCTS RESOURCES SERVICES WORLDWIDE REPAIR PARTS

Enter keyword or part number


Notices Orders Lists Account
 Orders Pending Approval (0) Status | History Personal (1) | Shared (0) Preferences

KABA Lock, Combination

Security > Locking Systems > Keyless Access Control Locks

Mechanical Pushbutton Combination Lock, Latch Length 1/2 Inch, Hand Left, Finish Satin Chrome, Standard Access Control with Lever, For 1 3/8 to 2 1/4 Inches Thick Wood/Metal Door

Grainger Item # 5U740
 Your Price (ea.) **\$490.95**
 Brand KABA
 Mfr. Model # LL-1011-26D-41
 Ship Qty.
 Sell Qty. (Will-Call)
 Ship Weight (lbs.) 9.8
 Usually Ships** ?! Today
 Catalog Page No. 2757
 Country of Origin USA
 (Country of Origin is subject to change.)



Qty.

Tech Specs	Additional Information	Compliance & Restrictions	MSDS	Required Accessories	Optional Accessories	Alternate Products	Repair Parts
Item							
Type		Pushbutton Access Control					
Finish		Mechanical, Standard					
Keying		Satin Chrome					
Hand		Standard					
Width (In.)		LH					
Depth (In.)		3-1/8					
Outside Height (In.)		3-13/16					
Inside Height (In.)		7 3/8					
Latch Length (In.)		8					
Latch Front Size (In.)		1/2					
Backset Size (In.)		1 1/8 x 2 1/4					
Includes		2 3/4					
		Lever					

Other Popular Terms for this Product

Door Hardware	Door Locks	Door Locksets	ADA-Compliant Locksets	Access Controls
Entrance Locksets	Combination Locks	Keyless Access Control Locks	Door Locks, Programmable	Door Access Control Locks
Push-Button Locks	Programmable Locks	Locks	Mechanical Keyless Locks	
		Keyless Entry Locksets		

The "Usually Ships" reflects when an item is generally expected to ship from Grainger based on its stocking location. Real-time availability information will be shown during the checkout process and on the e-mail order confirmation (for U.S. and Puerto Rico - US customers only). Please allow additional delivery time for international orders.

Customers Also Viewed



Electronic Ballast, 2-3
 F32T8, 120-277V
 Price: \$41.20
 Brand: PHILIPS ADVANCE



Lamp Recycling Box
 Price: \$99.75
 Brand: RECYCLEPAK



20x25x2, Pleated Air Filter,
 Filter, MERV 7
 Price: \$9.22
 Brand: AIR HANDLER



Ballast, Electr, T8, Instant
 Strt 4L, Normal
 Price: \$42.00
 Brand: GE LIGHTING

Products You May Also Be Interested In					1 of 4
					
Lock, Combination	Lock, Combination	Lock, Combination	Lock, Combination	Lock, Combination	
Price: \$536.50 Brand: KABA	Price: \$481.00 Brand: KABA	Price: \$595.00 Brand: KABA	Price: \$619.00 Brand: KABA	Price: \$603.50 Brand: KABA	

[Return To Top](#)

Customer Service

- [Catalog Request](#)
- [Contact Us](#)
- [Feedback](#)
- [Find a Branch](#)

Order Support

- [Bulk Order Pad](#)
- [Order History](#)
- [Order Status](#)
- [Returns](#)
- [Site Features](#)
- [Will Call](#)

Company Information

- [About Us](#)
- [Careers](#)
- [Community Relations](#)
- [Diversity](#)
- [Investor Relations](#)
- [Press Room](#)
- [Supplier Overview](#)
- [Sustainability](#)
- [Technical Education](#)
- [Worldwide](#)

Online Resources

- [Clearance Center](#)
- [Hot Buys](#)
- [Rebates](#)
- [SupplyLink](#)
- [Today's Features](#)
- [Webinars](#)

Services

- [Alliance Energy Solutions](#)
- [Emergency Services](#)
- [KeepStock®](#)
- [Online Purchasing Solutions](#)
- [Online SafetyManager™](#)
- [Products Beyond the Catalog](#)
- [Grainger TripleGuard®](#)

eNewsletter Signup

Each Month you'll get industry news, new product information, helpful tips and more.

Learn More

[Sign Up](#)



View Your Personal Lists | Order Status | Order History



Catalog 402

Find a Branch

Search

Search

Products

Resources

Services

Worldwide

Repair Parts

About Us

Today's Features

Site Features

Need Help? [Click to Chat](#)


Need Help? [Click for Call](#)

TENNSCO Rack, Bulk Storage

Material Handling > Racks, Shelving and Workbenches > Bulk Storage Racks

Add On Bulk Storage Rack, Shelf Capacity 2150 Pounds, Width 8 Feet, Depth 4 Feet, 3 Shelves, Without Decking

Grainger Item # **7B930**
 Your Price (ea.) **\$273.50**
 Brand **TENNSCO**
 Mfr. Model # **6940**
 Ship Qty.
 Sell Qty. (WH-Call)
 Ship Weight (lbs.) **158.0**
 Usually Ships**
 Catalog Page No. **2107**
 Country of Origin **USA**
 (Country of Origin is subject to change.)



[Enlarge Image](#)

Qty. [Add to Order](#) [Add to Personal List](#) [Compare Alternates](#)

Tech Specs	Additional Information	Compliance & Restrictions	MSDS	Required Accessories	Optional Accessories	Alternate Products	Repair Parts
Item Type							
Width							
Depth							
Height							
Beam Capacity							
Decking							
Levels							
Shelf Levels							
Color							
Finish							
For Use With							
Includes							
				Bulk Storage Rack Add On			
				36"			
				48"			
				120"			
				2150 lb.			
				No			
				3			
				Adjust in 2" Increments			
				Medium Gray			
				Powder Coat			
				Heavy Duty Bulk Storage Rack			
				6 Beams, Front to Back Supports and Frame			

Other Popular Terms for this Product

Industrial Shelving Adjustable Shelving Open Shelving Bulk Storage Racks Bulk Storage Shelving
 Rack-Style Shelving Boltless Shelving Heavy-Duty Shelving Add-On Shelving Boltless Racks

[View Catalog Page](#) [View Printable Page](#)

The "Usually Ships" reflects when an item is generally expected to ship from Grainger based on its stocking location. Real-time availability information will be shown during the checkout process and on the e-mail order confirmation (for U.S. and Puerto Rico - US customers only). Please allow additional delivery time for international orders.


Customers Also Purchased

1 of 5

Bulk Storage Rack, Starter, 72Wx24Dx72H In	Bulk Storage Rack, Starter, W 72, D 36, H 72	Rack, Bulk Storage	Bulk Storage Rack, Add-On, 72Wx24Dx72H In	Rack, Bulk Storage
Price: \$244.50	Price: \$295.00	Price: \$270.75	Price: \$201.25	Price: \$282.75
Brand: EDSAL	Brand: EDSAL	Brand: TENNSCO	Brand: EDSAL	Brand: TENNSCO

Optional Accessories

More Accessories



Rack, Bulk Storage
 Price (ea.) **\$352.00**
 Brand: **TENNSCO**
 Qty. [Add to Order](#)

Customers Also Viewed



Lamp, F328/Sp41/Eco
 Price: **\$2.61**
 Brand: **GE LIGHTING**



Water Filter Cartridge, 5 Microns, PK 2
 Price: **\$23.43**
 Brand: **AQUA-PURE**



Drill/Driver Kit, 18VDC, 1/2 In, Compact
 Price: **\$219.00**
 Brand: **DEWALT**



Impact Wrench, 1/2 In Dr, 50-650 Ft Lb
 Price: **\$406.75**
 Brand: **INGERSOLL-RAND**

Home | Sign Out | Your Account **Marty Stallings**

0 Items in Order Form | Contact Us | Help



View Your Personal Lists | Order Status | Order History

Property Specs



Catalog 402

Find a Branch

Search

Search

Products

Resources

Services

Worldwide

Repair Parts

About Us

Today's Features

Site Features


Need Help? [Click for Call](#)

TENNSCO Rack, Bulk Storage

Material Handling > Racks, Shelving and Workbenches > Bulk Storage Racks

Heavy Duty Starter Bulk Storage Rack, Shelf Capacity 2150 Pounds, Height 10 Feet, Width 8 Feet, Depth 4 Feet, 3 Shelves, Without Decking

Grainger Item #	7D044
Your Price (ea.)	\$362.00
Brand	TENNSCO
Mfr. Model #	6940
Ship Qty.	1
Sell Qty. (Will-Call)	1
Ship Weight (lbs.)	196.0
Usually Ships**	Today
Catalog Page No.	2107
Country of Origin	USA
<small>(Country of Origin is subject to change)</small>	



*16'
4' wide
+ 2 shelves*

Qty.

Enlarge Image

[Add to Order](#) [Add to Personal List](#) [Compare Alternates](#)

Tech Specs	Additional Information	Compliance & Restrictions	MSDS	Required Accessories	Optional Accessories	Alternate Products	Repair Parts
Item	Bulk Storage Rack						
Type	Starter						
Rack Type	Heavy Duty Bulk Rack Starter Unit						
Width	96"						
Depth	48"						
Height	120"						
Beam Capacity	2150 lb						
Decking	No						
Levels	3						
Shelf Levels	Adjust in 2" Increments						
Uprights	14 Gauge Steel						
Color	Medium Gray						
Finish	Powder Coat						

Other Popular Terms for this Product

Industrial Shelving	Adjustable Shelving	Open Shelving	Bulk Storage Racks	Bulk Storage Shelving
Rack-Style Shelving	Freestanding Shelving	Botless Shelving	Heavy-Duty Shelving	Starter Shelving
Botless Racks				

View Catalog Page View Printable Page

The "Usually Ships" reflects when an item is generally expected to ship from Grainger based on its stocking location. Real-time availability information will be shown during the checkout process and on the e-mail order confirmation (for U.S. and Puerto Rico - US customers only). Please allow additional delivery time for international orders.

Optional Accessories

More Accessories



Rack, Bulk Storage
Price (ea.) \$273.50
Brand: TENNSCO
Qty [Add to Order](#)

Customers Also Viewed



Lamp, F328/Sp41/Eco
Price: \$2.61
Brand: GE LIGHTING



Water Filter Cartridge, 5 Microns, PK 2
Price: \$23.43
Brand: AQUA-PURE



Drill/Driver Kit, 18VDC, 1/2 In, Compact
Price: \$219.00
Brand: DEWALT



Impact Wrench, 1/2 In Dr, 50-650 Ft Lb
Price: \$406.75
Brand: INGERSOLL-RAND


Frio & Rescue 4-15-2013

Your Store:
NW Charleston, SC

You're shopping a store in:

Summerville, SC
9600 Dorchester Road

We use your store location to provide current pricing and inventory. It'll also be the location for in-store pickups.



Whirlpool Duet 7.4 cu ft Reversible Side Swing Electric Dryer (White)

Item #: 323277 | Model #: WED94HEAW

Be the first to

\$1,079.00

Was: \$1,199.00

Save 10% thru 04/23/2013

Get 5%* Off Every Day or Special Financing**
Minimum Purchase Required

FREE Store Pickup

Your order can be available for pickup in Lowe's Of NW Charleston, SC today.

FREE Lowe's Truck Delivery

Your order will be ready for delivery to you from your selected store.

Parcel Shipping Unavailable for This Order

Sent by carriers like UPS, FedEx, USPS, etc.

Whirlpool Duet 7.4 cu ft Reversible Side Swing Electric Dryer (White) **\$1,079.00**

2-Year Major Appliance Extended Protection Plan (\$1000-\$1499.99)	\$79.97
4-Year Major Appliance Extended Protection Plan (\$1000-\$1499.99)	\$119.97

Buy the Pair

MSRP \$1,199.00 *****
Ends 04/16/2013

Description

Duet 7.4 cu ft Reversible Side Swing Electric Dryer (White)

- Advanced moisture sensing system - this high-efficiency dryer uses 3 built-in sensors that read incoming air temperature and outgoing air temperature while monitoring moisture levels inside the dryer
- Quick refresh steam cycle tumbles 2-5 items in the dryer, letting steam technology relax wrinkles and remove odors in as little as 15 minutes
- Wrinkle Shield™ Plus with steam tumbles the dryer every 5 minutes after the cycle is complete to help prevent wrinkles from setting into clean, dry fabrics
- Quiet dry plus noise reduction system - sound-absorbing materials are strategically placed around the dryer drum to help reduce operational noise
- Static reduce option - steam reduces static in the dryer by using tumbling and a spray mist on the load after it is dry
- LED display provides easy selection for all options, displays time remaining and status for the cycle
- EcoBoost™ option saves energy by using a portion of the dryer's dual heating element and extending cycle time - you'll get great drying performance while saving money on utility bills
- Interior drum light illuminates the interior of the dryer to make loading and unloading easier
- Quad baffles - larger items billow out for better drying, while smaller items keep tumbling without getting stuck riding the baffles

Specifications

Lowe's Exclusive	No	Eco Monitor	Yes
Manufacturer Color/Finish	White	Drum Material	Stainless Steel
Dryer Capacity (Cu. Feet)	7.4	Dryer Rack	No
Number of Cycle Selections	10.0	Control Type	Electronic
Number of Temperature Selections	5.0	Interior Light	Yes
Matching Pedestal (Model #)	XHPC155XW	Check Lint Screen Light	No
Matching Washer (Model #)	WFW94HEAW	Self-Cleaning Lint Filter	No
Steam Cycles	Yes	Window in Door	Yes
Sensor Dry Cycle	Yes	Door Type	Reversible side swing
Quick/Express Cycle	Yes	Height (Inches)	38.813
Wrinkle Free Cycle	Yes	Width (Inches)	27.0
Energy Efficient Cycle	Yes	Depth with Door Closed (Inches)	30.938
Air Dry/Air Fluff Cycle	Yes	Depth with Door Open (Inches)	50.875
Delicate Cycle	Yes		
Heavy Duty Cycle	Yes		

Permanent Press Cycle	Yes	Stackable	Yes
Timed Dry Cycle	Yes	Item Weight (lbs.)	160.0
Touch-Up Cycle	No	Four-Way Venting	No
Towels Cycle	Yes	Power Cord and Venting Sold Separately	Yes
Custom Program Cycle	No	Color/Finish Family	White
NSF Certified Sanitary Dry	Yes	Manufacturer's Warranty (Labor)	1-year limited
Cycle Status Lights	Yes	Manufacturer's Warranty (Parts)	1-year limited
Time Remaining Display	Yes	CSA Safety Listing	No
End-of-Cycle Signal	Yes	ETL Safety Listing	No
Sound Reduction	Yes	UL Safety Listing	Yes
		Volts	120/240
		ADA Compliant	No
		Series	Duet


© 2013 Lowe's. All rights reserved. Lowe's and the gable design are registered trademarks of LF, LLC

Your Store:
NW Charleston, SC

You're shopping a store in:

Summerville, SC
8600 Dorchester Road

We use your store location to provide current pricing and inventory. It'll also be the location for in-store pickups.



Whirlpool Duet 4.3 cu ft High-Efficiency Front-Load Washer (White)

Item #: 323276 | Model #: WFW94HEAW

★★★★★

View Price in Cart

MSRP: \$4,199.00

Ends 04/16/2013

Get 5%* Off Every Day or Special Financing**
Minimum Purchase Required

FREE Store Pickup

Your order can be available for pickup in Lowe's Of NW Charleston, SC today.

FREE Lowe's Truck Delivery

Your order will be ready for delivery to you from your selected store.

Parcel Shipping

Unavailable for This Order

Sent by carriers like UPS, FedEx, USPS, etc.

Whirlpool Duet 4.3 cu ft High-Efficiency Front-Load Washer (White) ENERGY STAR **\$1,199.00**

2-Year Major Appliance Extended Protection Plan (\$1000-\$1499.99)	\$79.97
4-Year Major Appliance Extended Protection Plan (\$1000-\$1499.99)	\$119.97

Description

Duet 4.3 cu ft High-Efficiency Front-Load Washer (White) ENERGY STAR

- 12-hour FanFresh® option with Dynamic Venting Technology® - when selected, a built-in fan automatically activates after the wash cycle is over, tumbling clothes for up to 12 hours so you can wash and dry a small load right in the washer
- Quiet spin 360 technology - now you can place your laundry pair virtually anywhere and be assured of balanced performance and vibration control; the washer takes into account where it's installed and adapts to improve its balance over time
- The Care Control temperature management system enabled by 6th Sense™ technology helps protect your clothes by controlling water amount and temperature
- EcoBoost option lowers water temperature and increases the tumbling action to use less energy while still delivering great cleaning and gentle performance
- Precision Dispense - releases additives at the right time during the cycle for optimal fabric care
- Adaptive wash action system uses up to 14 different tub motions, from rocking to tumbling which provide a combination of powerful cleaning and gentle fabric care for everything from jeans to delicate silks
- Steam-enhanced cycles: add the power of steam to select wash cycles to eliminate tough stains with virtually no pretreating
- The allergen cycle has been tested to remove up to 95% of harmful allergens from your clothes
- 4.3 cu ft stainless steel wash basket resists odors, rust and spins up to 1400 RPM to remove excess moisture from the thickest fabrics

Specifications

Lowe's Exclusive	No	Number of Wash Cycles	12.0
Manufacturer Color/Finish	White	ENERGY STAR Qualified	Yes
Washer Capacity (Cu. Feet)	4.3	CEE Tier Qualified	CEE Tier III
High Efficiency	Yes	Stackable	Yes
Automatic Load Balancing	Yes	Dispensers	Detergent; bleach; fabric softener
Automatic Temperature Control	Yes	Control Lockout	Yes
Matching Pedestal (Model #)	XHPC155XW	Sound Reduction	Yes
Matching Electric Dryer (Model #)	WED94HEAW	Add a Garment	Yes
Matching Gas Dryer (Model #)	WGD94HEAW	Cycle Status Lights	Yes
Silk Cycle	No	Estimated Time Remaining Display	Yes
Wool Cycle	No	Wash Now, Dry Later Option	Yes
Handwashable Cycle	No		
Quick/Express Wash Cycle	Yes		
Bulky/Large Items Cycle	Yes		

Buy the Pair

★★★★★
\$1,079.00
Was: \$1,199.00
Save 10%
through 04/23/2013

★★★★★
\$1,169.00
Was: \$1,299.00
Save 10%
through 04/23/2013

Steam Cycle	Yes	End-of-Cycle Signal	Yes
Allergen/Sanitary Cycle	Yes	Tub Material	Stainless
Programmable Wash Cycles	Yes	Window in Door	Yes
Unique/Exclusive Cycle(s)	EcoBoost Option	Height (Inches)	38.5
Whites Cycle	Yes	Width (Inches)	27.0
Soak Cycle	Yes	Depth with Door Closed (Inches)	36.5
Delicate Cycle	Yes	Depth with Door Open (Inches)	52.25
Delay Start	Yes	Item Weight (lbs.)	250.0
Prewash Cycle	No	Power Cord Included	Yes
Extra Rinse Cycle	Yes	Fill and Drain Hoses Included	No
Maximum Spin Speed (RPM)	1400.0	Built-In Water Heater	Yes
Stain Treatment	No	Manufacturer's Warranty (Labor)	1-year limited
Water Levels	Auto-sensing	Manufacturer's Warranty (Parts)	1-year limited
Number of Rinse Cycles	2.0	Color/Finish Family	White
Number of Rinse Temperatures	1.0	CSA Safety Listing	No
		ETL Safety Listing	No
		UL Safety Listing	Yes
		ADA Compliant	No
		Series	Duet

© 2013 Lowe's. All rights reserved. Lowe's and the gable design are registered trademarks of LF, LLC

SPECIFICATIONS	UW35	UW60	UW80	UW100	UW125	UW150		
Control Options	UniLinc™	UniLinc™	UniLinc™	UniLinc™	UniLinc™	UniLinc™		
Capacity - lb (kg)	35 (16)	60 (27)	80 (36)	100 (45)	125 (57)	150 (68)		
Cylinder Diameter - in (mm)	26 1/4" (667)	32" (813)	36" (914)	36" (914)	42" (1067)	43" (1093)		
Cylinder Depth - in (mm)	18 3/8" (467)	20" (508)	21" (533)	27" (686)	24" (610)	27 13/16" (706)		
Cylinder Volume - cu. ft. (liters)	5.76 (163)	9.31 (264)	12.4 (350)	15.9 (450)	19.24 (544)	23.38 (662)		
Height - in (mm)	54 3/8" (1380)	64 1/2" (1536)	67 3/4" (1721)	67 3/4" (1721)	72 1/4" (1833)	78 7/8" (2010)		
Width - in (mm)	32 3/8" (822)	36" (913)	41 1/8" (1043)	41 1/8" (1043)	48" (1217)	50" (1268)		
Depth - in (mm)	45 3/8" (1150)	46 7/8" (1189)	50" (1270)	56 1/8" (1423)	55 1/8" (1396)	62" (1575)		
Door Opening Size - in (mm)	14 3/8" (364)	17 1/2" (445)	17 1/2" (445)	17 1/2" (445)	20" (508)	24 3/4" (629)		
Door Bottom to Floor - in (mm)	23 1/2" (596)	28 1/8" (713)	29 1/2" (748)	29 1/2" (748)	28 1/2" (723)	31 1/2" (798)		
Motor Size - HP (kW)	5 (3.7)	5 (3.7)	7.5 (5.6)	7.5 (5.6)	10 (7.5)	10 (7.5)		
Total # of Speeds	V Sp	L Sp	M Sp	V Sp	V Sp	V Sp	V Sp	
	8	5	6	8	8	8	8	
Gentle Wash Distribution Very Low Low Medium High Very High	26 (.25)	26 (.31)	26 (.31)	26 (.31)	26 (.35)	26 (.35)	26 (.40)	23 (.32)
	44 (47/64)	42 (2/3)	42 (2/3)	42 (2/3)	40 (.80)	40 (.80)	37 (.80)	36 (.80)
	83 (2 37/64)	74 (2)	74 (2)	74 (2)	70 (2.5)	70 (2.5)	62 (2.3)	61 (2.3)
	401 (60)	364 (60)	364 (60)	364 (60)	343 (60)	343 (60)	317 (60)	314 (60)
	568 (120)	—	514 (120)	514 (120)	485 (120)	485 (120)	449 (120)	444 (120)
	695 (180)	—	—	630 (180)	594 (180)	594 (180)	550 (180)	543 (180)
	803 (240)	469 (100)	630 (180)	727 (240)	686 (240)	686 (240)	565 (190)	627 (240)
896 (300)	—	—	813 (300)	766 (300)	766 (300)	579 (200)	701 (300)	
Drain Diameter - in (mm)	1 @ 2 3/8" (60)	1 @ 3" (76)		2 @ 3" (76)	2 @ 3" (76)	2 @ 3" (76)	2 @ 3" (76)	
Steam Connection - in (mm)	1/2" (13)	1/2" (13)		1/2" (13)	1/2" (13)	3/4" (19)	3/4" (19)	
Water Inlet Connection - in (mm)	4 @ 3/4" (19)	4 @ 3/4" (19)		4 @ 3/4" (19)	4 @ 3/4" (19)	2 @ 1" (25) 2 @ 3/4" (19)	2 @ 1" (25) 2 @ 3/4" (19)	
Shipping Dimensions	Width	37 1/2" (952)	41 1/2" (1054)		44" (1118)	44" (1118)	50 1/2" (1283)	54 1/2" (1385)
	Depth	48" (1219)	50 1/4" (1276)		60" (1524)	60" (1524)	60" (1524)	69" (1753)
	Height	59" (1498)	69" (1753)		72 3/4" (1848)	72 3/4" (1848)	77" (1956)	78 3/4" (2000)
Net Weight - lb (kg)	925 (420)	1270 (576)		1750 (793)	1800 (816)	2190 (993)	2890 (1311)	
Shipping Weight - lb (kg)	944 (428)	1302 (591)		1814 (873)	2060 (848)	2292 (1040)	2944 (1335)	
Export Shipping Weight - lb (kg)	1050 (476)	1430 (649)		2010 (912)	2050 (934)	2570 (1166)	3270 (1483)	
Agency Approvals*	cETLus, CE	cETLus, CE		cETLus, CE	cETLus, CE	cETLus, CE	cETLus, CE	



To learn more, or to find a distributor in your area, visit UNIMAC.COM
Alliance Laundry Systems - Shepard St, Ripon WI 54971 - 1.800.587.5458

* Agency approvals may vary depending on configuration.

Consult factory for details. Standard domestic voltage 208-240/60/3. 230V/50Hz/1&3 phase and 380V/50Hz/3 phase units are available. All CE approved models available in 50-cycle. Contact your distributor for specific models available with CE. For electrical specifications, circuit breaker requirements and full load amperages, see your authorized UniMac distributor. Manufacturer strongly recommends using a circuit breaker instead of fuses. Use 3-pole circuit breakers for 3-phase machines. For the most accurate information, the installation guide should be used for all design and construction purposes. Due to continuous product improvements, design and specifications subject to change without notice. The quality management systems at Alliance Laundry Systems' Ripon facility has been registered to ISO 9001:2000.

©2011 Alliance Laundry Systems LLC.

Printed in the U.S.A. AU10-0199

UniMac

SERIOUS ABOUT LAUNDRY.

DISTRIBUTOR INFORMATION HERE

Specifications

	UW35 M30			UW60 M30			UW80 M30	UW100 M30	UW125 M30
Capacity - lb (kg)	35 (15.9)			60 (27.3)			80 (36.4)	100 (45.5)	125 (56.9)
Width - in (mm)	33 3/8" (848)			36 5/8" (930)			41 1/2" (1054)	41 1/2" (1054)	48" (1219)
Depth - in (mm)	43 5/8" (1108)			45" (1143)			51 1/2" (1308)	54 1/2" (1384)	58" (1473)
Height - in (mm)	55 1/2" (1410)			64 1/2" (1638)			68 1/2" (1740)	68 1/2" (1740)	72" (1829)
Cylinder Diameter - in (mm)	26 1/4" (667)			32" (813)			36" (914)	36" (914)	42" (1067)
Cylinder Depth - in (mm)	18 3/8" (467)			20" (508)			21" (533)	27" (686)	24" (610)
Cylinder Volume - cu. ft. (liters)	5.76 (163)			9.31 (264)			12.4 (350)	15.9 (450)	19.4 (544)
Door Opening - in (mm)	14 3/8" (364)			17 1/2" (445)			17 1/2" (445)	17 1/2" (445)	20" (508)
Door Bottom to Floor - in (mm)	23 3/4" (603)			28 1/4" (718)			29" (737)	29" (737)	29" (737)
Water Inlet Connection - in (mm)	3/4" (19)			3/4" (19)			3/4" (19)	3/4" (19)	(2 ea) 1" (25)
Steam Connection - in (mm)	1/2" (13)			1/2" (13)			1/2" (13)	1/2" (13)	3/4" (19)
Drain Diameter - in (mm)	2.4" (60)			3" (76)			3" (76)	3" (76)	3" (76)
	2 Sp	L Sp	M Sp	2 Sp	L Sp	M Sp	M Sp	M Sp	M Sp
Motor Size - HP (kW)	2.0 (1.5)	5.0 (3.7)	5.0 (3.7)	3.0 (2.2)	5.0 (3.7)	5.0 (3.7)	7.5 (5.6)	7.5 (5.6)	10 (7.5)
Cylinder Speed RPM (G-Force)	Wash	50 (0.95)	44 (0.7)	44 (0.7)	44 (0.88)	40 (0.7)	40 (0.8)	40 (0.8)	37 (0.8)
	Distribution	-	83 (2.6)	83 (2.6)	-	71 (2.3)	71 (2.3)	70 (2.5)	62 (2.29)
	Very Low Extract	-	401 (60)	401 (60)	-	364 (60)	364 (60)	343 (60)	317 (60)
	Low Extract	-	518 (100)	568 (120)	-	469 (100)	514 (120)	485 (120)	449 (120)
	Medium Extract	-	-	695 (180)	-	-	630 (180)	594 (180)	550 (180)
High Extract	504 (95)	-	-	465 (98)	-	-	-	-	
Domestic Shipping Dimensions - in (mm)	Width	38" (970)	38" (970)	38" (970)	40" (1016)	40" (1016)	40" (1016)	44" (1118)	44" (1118)
	Depth	47" (1200)	47" (1200)	47" (1200)	49" (1245)	49" (1245)	49" (1245)	60 1/2" (1537)	60 1/2" (1537)
	Height	64" (1630)	64" (1630)	64" (1630)	74 1/2" (1892)	74 1/2" (1892)	74 1/2" (1892)	77 1/4" (1962)	77 1/4" (1962)
Domestic Net Weight - lb (kg)	750 (341)	750 (341)	1030 (468)	1136 (515)	1229 (557)	1300 (590)	1644 (747)	1680 (762)	2211 (1005)
Domestic Shipping Weight - lb (kg)	810 (367)	810 (367)	1085 (493)	1175 (533)	1268 (575)	1340 (608)	1705 (773)	1745 (792)	2525 (1148)
Export Shipping Weight - lb (kg)	910 (413)	910 (413)	1150 (522)	1300 (590)	1392 (631)	1464 (664)	1990 (903)	2030 (921)	2800 (1270)
Agency Approvals*	eETLus, CE			eETLus, CE			eETLus, CE	eETLus, CE	eETLus, CE

* Agency approvals may vary depending on configuration. Consult factory for details.

For electrical specifications, circuit breaker requirements and full load amperages, see your authorized UniMac distributor. Manufacturer strongly recommends using a circuit breaker instead of fuses. Use 3-pole circuit breakers for 3-phase machines.

For the most accurate information, the installation guide should be used for all design and construction purposes. Due to continuous product improvements, design and specifications subject to change without notice. The quality management systems at Alliance Laundry Systems' Ripon facility has been registered to ISO 9001:2000.

©Copyright 2009 Alliance Laundry Systems LLC

No wonder UniMac is America's No. 1 selling brand!

www.unimac.com

Alliance Laundry Systems
Shepard Street, Ripon, WI 54971 Telephone: 1-800-587-5458



